

The Islamia University of Bahawalpur Faculty of Veterinary & Animal Sciences Department of Livestock Management





No. LM-3/2024-17105-

Dated 22/03/2024

Subject: Technical Quotation/Comparative statement of Tender for the Purchase of Consumable Supplies and Equipment for Research Project No: 20-17105/NRPU/R&D/HEC/2021 at the Department of Livestock Management (Opened on March 21, 2024)

Respected Sir,

Procurement of consumable supplies and equipment in an HEC-NRPU Research Project No:17105 of the Department of Livestock Management was opened during the SMPC meeting on March 21, 2024, held at the office of the chairman purchase committee, IUB. The comparative statement of bidder quotes based on technical specification is given below and submitted for the purchase process earliest, please.

Sr No	Category	Items name	Specifications.	Supplier Name	Status	Remarks
1	Consumable supplies	Makkhi Cheeni Beetal kids	At Weaning age, active, alert, breed characteristics, free from disease and any physical faults		Accepted	As per specifications
2		Concentrate	Type Fattening ration, Capacity BAG/30KG, Palatable, no adulteration, TDN 70% CP 18-20		Accepted	As per specifications
3		Maize Silage	80 Kg per bale with six layers of good quality bale- wrap Packing, pH 3.7, highly palatable with good grain mixture, optimum chop size.	Green	Accepted	As per specifications
4		Total mixed ration (TMR)	Capacity BAG/30KG,TMR Type: fattening, Palatability and digestibility High, No Adulteration, CP 18-20	Enterprises services and general order supplier	Accepted	As per Specification
5	Equipment	Slatted Floor with frame	Pellets as per frame length are made of rugged virgin, high impact polypropylene (EPS30R) plastic material, anti-oxidant, anti-corrosion, anti-UV, one-time molding technology, provide heavy-duty, stronger, durable slat floor for goats up to 440lbs, for 10-15 years along with iron frame. 8*8 foot		Accepted	As per Specification

A sufficient budget is available under the heads of consumable supplies and equipment. It is, therefore, requested that the supply order to the accepted bidder may kindly be issued for said purpose please.

(Tar)

Dr. Faisal Shahzad Associate Professor/Principal Investigator Department of Livestock Management Email: shahzad.faisal@iub.edu.pk Cell # +92-333-4892523

Signature of Project Purchase Committee at Department of LM

Member I/Convener

Member 2

Member 3

The Islamia University of Bahawate

Treasurer, IUB



The Islamia University of Bahawalpur Faculty of Veterinary & Animal Sciences Department of Parasitology



Dated: 27.03.2024

Ph No: +92 3334875876, E-mail: rashid.laghari@iub.edu.pk

No. PARA-6/2024-35

Technical Quotation of Tender-B for the purchase of research Equipment under PARB project No. 22-265 in Department of Parasitology, Faculty of Veterinary & Animals Sciences (Opened on 21-03-2024)

It is stated that a tender was floated by The Islamia University of Bahawalpur for the procurement of Lab Equipment for the above cited research project (No. 22-265) in laboratory of Department of Parasitology FV&AS (Tender-B). The scientific material purchase committee (SMPC), IUB in its meeting held on 21-03-2024 opened the technical proposals. The departmental purchase committee of Department of Parasitology, FV&AS in its meeting held on 27-03-2024 evaluated the technical proposals. The recommendations of the committee are as under:

Sr. No.	Item Names and Specifications	Supplier	Model/Make	Status	Remarks
	ELISA reader Specification Detection mode: Absorption, Read-out range: 0-3.500Abs, Resolution: 0.001Abs (displayed), 0.0001 (calculated), Light source: halogen/LED of long life >100,000hours Measurement range: 0-4.0 OD, Wavelength range: 405-750 nm, Wavelength selection: filters (8 filters), Supplied: 8 channel measuring filter wheel provided with 405, 450, 492 and 630 nm	Leo Science, Islamabad	Absorbance 96 (Make=Byonoy GmbH, Germany) of Germany)	Accepted	
1	with 4 more filters, Bandwidth: <10 nm. Display: 10.4 inch color touch LCD screen with built-in portable computer, Input: touchscreen, Interface/connectivity: RS-232, USB/SD card for computer and printer, Reading speed: 5 sec for 96 well plate (Single wavelength) and 10 sec for double wavelength, Calculation mode: ABS, cut-off, curve, linear regression, index regression, logarithm regression, exponent regression, Memory: 100 programs with 10000 sample records. Reading range:	Sahaab International (PVT.) Ltd, Islamabad	MER-C14 Medallion Equipment UK	Rejected	Not according to tender specification
للر	0.000-4.000Abs, Well coincidence: ≤0.015A, Linearity: R>0.999, Repeatability: <0.3%, Stability: <±0.0001Abs/10min. Accuracy: 0.000- 2.000 OD/Abs: Better than ± (1.0-2.0% - 0.010-0.020 OD), Precision: 0.000 - 2.000 OD: ± 1.0%, 2.000 - 3.000 OD: ± 1.5%, ad Rashio.	Radius Technologies, Multan-60000	Microplate Reader FM- MPR-A103 of UK	Rejected	Not according to tender specification

Assistant Professor
Department of Parasitology
Faculty of Veterinary and Animal Sciences
Department of Bahawala

		Linearity: 0.000 – 2.000 OD: Better than ± 1.0 to 3.0% to 0.010 OD), 2.000 – 3.000 OD: ± 3.0% to 0.010 OD), Shaking: Yes with adjustable for time and speed, Software: Suitable and compatible according to the model supplied to support calculation mode for qualitative and quantitative analysis with English language. Physical Data Size in Inches (L x W x H in mm): 460×330×190 or according to supplied model original specification, Weight: 5-10 kg according to model original specification. Electrical Main power input-Basic instrument with AC adapter, External power supply-110V-220V AC: 50/60 Hz (Auto sensing), max 1.2 A, Power consumption: Standby mode-Approx 12 VA Optional (Wide range of filters and Calibration test plate with software) Includes: All original cables and filters, external jet printer,	(South Punjab)			
	2	4°C and -20°C cooling chamber Capacity: 13 cu-ft, Gross capacity, 223litres, Cooling technology: 4 way cooling system, Air flow type: multi air flow booster, Product color: grey, External handle: 2 in number, Temperature: 4°C and - 20°C, Door lock: Yes, Types of shelf: tempered glass, Total shelves and boxes: 9, Number of cabinet shelves: 3, No of freezer door shelves: 1, No of freezer shelves: 1, No of refrigerator door shelves: 2 (Gallon door shelves), 4°C door pockets: 6, Voltage: 16-260, Dimensions (D×H×W in mm): 620×1563×600, Weight: 58kg Includes: wooden stand	Sahaab International (PVT.) Ltd	MDF-A368 medallion equipment UK	Accepted	
	3	Orbital shaker Shaking motion: Orbital/convulution 2D, Control: Microcomouter PID control, Speed range: 15-240, Maximum load capacity: 3-5kg, Amplitude of rotation (mm): 10-30, Orbital diameter: 10-20mm,	Sahaab International (PVT.) Ltd, Islamabad	MSK-P330 orbital and linear shaker of medallion equipment UK	Accepted	
الراب	u	Motor type: Brushless DC motor, Permissible ambient temperature and humidity: 5-65°C and 80-85%, Sensitivity: ±2, Timer and alarm: 0-99hr 59minute and error status & timer-end, Display: Digital LED, Base platform size (mm): 320×265, Dimension (W×D×H): 3300×480×160mm. Safety circuit: Overload protector for motor, Rashid	Radius Technologies, Multan-60000 (South Punjab)	SHK-O0310III orbital shaker of US	Rejected	Not according to tender specification

Dr. Muhammad Rashid

Dr. Muhammad Rashid

Dr. Masistant Professor

Assistant Professor

Department of Parasitology

Department of Parasitology

State of Parasitology

Assistant Professor

Department of Parasitology

State of Parasitology

Paculty of Veterinary and Animal Sciences

	Weight: 7-10kg, Program function: 10 steps and 6 program, Input power: 30W. Output power: 15W, Power supply and cord plug: free voltage (1 phase, AC 90V ~260V, 50/60Hz) with cord/plug. Flask holders: 9ea-20ea. Others: smooth start and change of stirring speed for stable running, storage function (program, RPM and timer) and locking model, Overcurrent protection function, smooth running to prevent liquid splashing. Includes: all original cables	Leo Science, Islamabad	OS20-Pro Leosci/Joalan orbital shaker of China	Rejected	Not according to tender specification
m. W. M	Operating system: Windows 11 Home, Processor: Intel® Core™ i7-1355U (up to 5.0 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads), Performance Technology: Intel® Evo™ laptop, Graphics: Integrated: Intel® Iris® X' Graphics, Display: 15.6" diagonal, FHD (1920 x 1080), multitouch-enabled, IPS, edge-to-edge glass, micro-edge, 400 nits, low power, 100% sRGB, Display brightness: 400 nits, Display color gamut: 100% sRGB, Memory: 16 GB LPDDR5-5200 MHz RAM (onboard), Storage: 1 TB PCIe® NVMe™ M.2 SSD, Wireless technology: Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card (supporting gigabit data rate), Power supply: 65 W USB Type-C® power adapter, Battery: 4-cell, 55 Wh Lion polymer, Battery life: Up to 15 hours, Video Playback Battery Life: Up to 17 hours, Battery Recharge Time: Supports battery fast charge: approximately 50% in 30 minutes, External I/O Ports: 2 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4, HP Sleep and Charge); 1 USB Type-A 10Gbps signaling rate; 1 HDM1 2.1; 1 headphone/microphone combo, Expansion slots: 1 multi-format SD media card reader, Energy efficiency: EPEAT® Gold registered, Webcam: HP Wide Vision 5MP IR camera with temporal noise reduction and integrated dual array digital microphones, Audio Features: Audio by Bang & Olufsen; Dual speakers; HP Audio Boost, Sensors: Accelerometer; eCompass; Gyroscope; IR thermal sensor, Color: Natural silver aluminum. Pointing device: HP Imagepad, Keyboard: Full-size, backlit, soft grey keyboard. Dimensions (W X D X Laghth 100 ports).	Not quoted by any company/vendo r			Not quoted by any company/vendor

Dr. Muhammad-Rashido /
Assistant Professor
Department of Parasitology
Faculty of Veterinary and Animal Sciences
The Islamia University of Bahawalpur

	hardware warranty, Software included: McAfee LiveSafe TM 30-day trial offer (Internet access required. First 30 days included. Subscription required for live updates afterwards.); 1-month Adobe free trial offerDuet® for HP (30 day free trial)1 month trial for new Microsoft 365 customers, Security management: Mic mute key; Camera privacy shutter; Trusted Platform Module (Firmware TPM) support Includes: Leather waterproof fully cushioned bag, Bluetooth mouse, Bluetooth headphone, Original charger.		
5	Printer Color print: No, maximum print speed(b/w): Up to 20ppm mono, Memory capacity (included): 64MB, Including toner (B & W): Yes, Maximum document size: A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL, C5); 76 x 127 to 216 x 356mm Letter; Legal; Executive; Oficio 216x340mm, Oficio 8.5x13 in, Envelope (No.10, Monarch); 4x6 in, Paper storage (capacity): Up to 100 sheets, paper storage (max capacity): Up to 150 sheets, Automatic duplex: Yes, mobile and Wi-Fi support: Yes Warranty: 1 year Includes: All original cables	Not quoted by any company/vendo r	Not quoted by any company/vendor

Chairman, TAUSEEF UR REHMAN
Department of Parasito Rog Man Sciences
Parasitology Department of Veterinary & Grandard Parasito Rog Man Sciences
Faculty of Veterinary & Grandard Parasito Rog Man Sciences
The Islamia University of Bahawalpur
The Islamia University of Bahawalpur
The Islamia University of Bahawalpur

Signature of Departmental purchase committee

Member 1/Convener
Dr. Muhammad Rashid
Assistant Professor
Department of Parasitology
Faculty of Veterinary and Animal Sciences
The Islamia University of Bahawalpur

DR. TAUSEEF UR REHMAN
CHAIRMAN
Department of Parasitology

Faculty of Veterinary & Animal Sciences The Islamia University of Bahawalpur

Dr. Assistant Professor
Department of Parasitology
Faculty of Veterinary and Animal Sciences
The Islamia University of Bahawalpur

Principal Investigator Dr. Muhammad Rashid Assistant Professor.

Dr. Muniformed Ensan Assistant Professor Department of Parastology Cutty of Veterinary and Animal Sciences The Islamia University of Bahawatpur