



The Islamia University of Bahawalpur



University College of Veterinary & Animal Sciences

Opening of Technical Quotation for Tender A /2021 (IPB-106) for Chemicals and Glassware for College of Veterinary & Animals Sciences (Opened on 19-02-2021)

It is stated that a tender was floated by the Islamia University of Bahawalpur for the procurement of Chemicals & Glassware for the laboratories of UCV&AS (Tender-A, IPB-106). The scientific material purchase committee (SMPC), IUB in its meeting held on 19-02-2021 opened the technical proposals. The technical / evaluation committee of UCV&AS in its meeting held on 25-02-2021 evaluated the technical proposals. The recommendations of the committee are as under:

as under:												
Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
Chemicals												
1	Acetone	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
2	Acetic Acid	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
3	2-Mercaptoethanol	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
4	Acetocarmine stain	100 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
5	Acetylcholine hydrochloride	25gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
6	Acrylamide	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
7	Agar agar	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
8	Agarose Gel Base	500gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
9	Alpha amylase (Junsei Chemicals, Japan)	25 g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
10	Ammonium chloride	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
11	Ammonium sulphamate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
12	Ammonium sulphate	500g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
13	Anhydrous Sodium Carbonate	500g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
14	Antibiotic discs (Genta, Oxytetra, Amoxi, Cipro, Erythro, Tylo)	01 each	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Comp Cat not mentioned
15	Ascorbic Acid	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
16	Bacteriological peptone	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
17	Benzoic acid	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
18	Bismuth Subnitras	300g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
19	Blood agar	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted

Dr. Mohammad Shahzad
Associate Professor / Chairman
Department of Pathology

Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery

Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition

Prof. Dr. M. Khalid Mansoor
Principal UCV&AS / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
20	Boric Acid	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
21	Brilliant green agar	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
22	Bromophenol Blue	10 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
23	Brucella Agar	1kg	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
24	Buffer solution for Giemsa stain	500ml	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
25	Calamine powder pure	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
26	Calcium hydroxide	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
27	Camphor (powder form)	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
28	Carbol Fuchsin(Prepared)	1 litre	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
29	Carbolic Acid	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
30	Carnoy fluid	100 ml	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
31	Cedar Wood Oil	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
32	Cetrimide Agar	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
33	Chloroform	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
34	CIDR	10/pack	Not quoted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted
35	Colchicine	2gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted
36	Cooked Meat Medium	500 gm	Accepted	Not quoted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
37	Copper Sulphate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
38	DEPC-treated RNase/DNAse free water	500ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
39	D-fructose	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
40	D-glucose	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
41	Dimethylsulphoxide (DMSO)	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
42	Diphenylamine reagent	250 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
43	DNA Marker	50 bp	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
44	dNTPs (Complete Set)	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
45	DPX	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
46	Dulbecco's modified Eagle's med (DMEM)	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
47	EMB agar Eosin Methylene Blue	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
48	Eosine	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
49	Ethanol	2.5L	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
50	Ether	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
51	Ethyl acetate	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
52	Ferrous Sulphate	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
53	Fetal calf serum	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
54	Feulgen Stain	2.5 gm	Not Quoted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery




Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&S / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
55	Field Stain A & B	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
56	Formalin Commercial	1 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
57	Formalin Pure for Lab	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
58	Fructose	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
59	Gelatin Powder	100 g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
60	Giemsa Stain Liquid	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
61	Giemsa stain Powder	25g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
62	Glacial acetic acid	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
63	Glucose	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
64	Glycerin	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
65	Glycerol	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
66	Glycine	100 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
67	Gram Stain	25g	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
68	Gram Stain kit	1 kit	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
69	Hydrochloric Acid 1N	2.5 liters	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
70	Hydrochloric Acid N/10	2.5 L	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
71	Immersion Oil	100 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
72	Iodine	100 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
73	Iodoform	300g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
74	L-Glutamine	25 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted
75	Lignocain 50	50ml	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
76	Lignocain Simple	50 ml	Not quoted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
77	L-Methionine	5 g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
78	Loading Dye	1 g	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted
79	Lowenstein Jensen medium	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted
80	Lugol Iodine	500ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
81	Lugols solution	500ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
82	Magnesium chloride	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
83	Magnesium hydroxide	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
84	Magnesium sulphate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
85	Mannitol salt agar	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
86	Master Mix	5 ml	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted
87	McConkey Agar	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
88	Mercuric oxide	25 g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted	Accepted
89	Methanol	2.5 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
90	Methylated Sprit	1 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery



Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&AS / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
91	Nitric Acid	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
92	Nogrosine	25 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
93	Nutrient Agar	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
94	Nutrient broth	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
95	Oxytocin	50 ml	Not quoted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
96	Parrafin Wax	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
97	Penicillin-streptomycin solution, 100X	100ml	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
98	Petroluem Ether	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
99	pH Solutions Standard		Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
100	Phenolphthlein Powder	100 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
101	Phosphate buffer saline 10X 500ml	1 bottle	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
102	Potassium alum	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
103	Potassium chloride	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
104	Potassium Chloride KCl	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
105	Potassium Hydroxide (KOH)	500g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
106	Potassium Iodide	300g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
107	Potassium Oxalate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
108	Potassium Permanganate	1 kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
109	Potassium Phosphate monobasic	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
110	Potassium Sulphate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
111	Progesterone	10 ml	Not quoted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
112	Pyodine scrub 450ml	450ml	Not quoted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
113	RBCs Counting Solution	500 ml	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
114	Riboflavin	250 g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
115	Sabouraud's Dextrose Agar	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
116	Salicylic acid	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
117	Sanitizer	250ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
118	Schiff's Reagent	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
119	SDS 10%	100 ml	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
120	Silica Gel	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted
121	Simmons citrate agar	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
122	Sodium bicarbonate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
123	Sodium borate decahydrate (Sigma)	1kg	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
124	Sodium chloride	1 kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
125	Sodium cyanide	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
126	Sodium dihydrogen phosphate (Sigma)	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery





Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition





Prof. Dr. M. Khalid Mansoor
Principal UCV&AS / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
127	Sodium Hydroxide	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
128	Sodium hypochlorite	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
129	Sodium iodide	1 kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
130	Sodium lauryl sulfate (Sigma)	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
131	Sodium nitrate	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
132	Sodium Nitroproside	500g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
133	Sodium Phosphate dibasic Na2HPO4	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
134	Sodium sulfite (Aplichem)	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
135	Sodium thiosulphate	1 kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
136	Sulfur powder	1 kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
137	Sulphuric Acid (Concentrated)	2.5	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
138	Taq-Polymerase with Taq-Buffer	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
139	Terpentine oil	1 L	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
140	Thioglycolate media	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted
141	Toluidine Blue	25 gms	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
142	Trichloro acetic acid	500 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
143	Tris base	25 gm	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
144	Triton X-100	1 L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
145	Trypsin	100 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted
146	Ultrasound gel	5 lit	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
147	WBCs Counting Solution	500 ml	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
148	Wright stain Powder	25g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted
149	Wright's Stain Liquid	500 ml	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
150	X-Ray Developer + Fixer (01 Set)	50ml	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
151	Xylene	2.5L	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted	Accepted
152	Xylol	2.5Lit	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
153	Zinc oxide	1kg	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
154	Zinc sulphate	500g	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted	Accepted
Glassware												
1	Aluminium foil	5	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
2	Alcohol Lamp	2	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
3	Blood Lancets	5	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
4	Blood Vacutainer EDTA Coated	3	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
5	Blood Vacutainer Gel Coated	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
6	Bunsen burner	10	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
7	Butyrometer (GDR/Germany)	6	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery



Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&S / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
8	Butyrometer /test tubes cleaner Brush	2	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
9	Butyrometer stand	6	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
10	Butyrometer stopper (IMP)	12	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted
11	Capillary (PCV) Tubes Heparinized	13	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
12	Capillary (PCV) Tubes Non-heparinized/Plain	2	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
13	Cell Culture Flasks T-25cm, Vent cap 200 pcs	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
14	China Dish Medium	3	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted
15	Concal Flask, 100 ml	20	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
16	Concal Flask, 500 ml	15	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
17	Conical Flask 1000ml	10	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
18	Conical Flask 2000 ml	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
19	Conical Flask 250ml	40	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
20	Conical Flask 50ml	10	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
21	Cotton 400g bundle	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
22	Cotton bundles 200gm	2	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted
23	Coverslips	20	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted
24	Crucible 30ml	6	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted
25	Crucible 50ml	20	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
26	Crucible Tongs medium	3	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
27	Disposable syringe 10cc (Pack of 100)	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
28	Disposable syringe 1cc (Pack of 100)	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
29	Disposable syringe 3cc (Pack of 100)	25	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
30	Disposable syringe 5cc (Pack of 100)	25	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
31	Dissection Board Wood	20	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
32	Dissection kit	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
33	Distill water bottle 250ml	6	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
34	Distill water bottle 500ml	3	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
35	Droppers	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
36	Eppendorf snap-cap microcentrifuge tubes (Pack of 500)	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted
37	Eppendorf tubes (1000 µl) Pack	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted
38	Eppendorf tubes (200 µl) Pack	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted
39	Eppendorf tubes(500 µl) Pack	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
40	Face mask boxes	6	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul-Gayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery



Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&S / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
41	Falcon tubes conical bottom (15 ml) Pack of 100	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
42	Falcon tubes conical bottom (50 ml) Pack of 100	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
43	Filter Paper Sheet	50	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted	Accepted	Accepted
44	Forceps	6	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
45	Fritted crucibles 30 ml (Porosity 2, for JP Selecta NDF analyser)	6	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
46	Glass Beaker 1000ml	15	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
47	Glass Beaker 100ml	36	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
48	Glass Beaker 250ml	48	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
49	Glass Beaker 500ml	24	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
50	Glass Beaker 50ml	40	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
51	Glass dropper transfer pipettes with rubber bulb 01 set	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
52	Glass Funnel Medium	5	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
53	Glass Funnel Small	3	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
54	Glass Jars 500 ml (wide mouth and lid)	12	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
55	Glass Petri plates Medium sized (Pyrex)	150	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
56	Glass Slides box	50	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
57	Glass spatula	5	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
58	Glass staining jars	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
59	Glass Stirrer Medium	50	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
60	Glass Test Tubes 12 x 100 mm	100	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
61	Glass Test Tubes 12 x 75 mm	100	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
62	Graduated Glass Pipettes, 0.1 ml Germany	12	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
63	Graduated Glass Pipettes, 1 ml Germany	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
64	Graduated Glass Pipettes, 10 ml Germany	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
65	Graduated Glass Pipettes, 25 ml Germany	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
66	Graduated Glass Pipettes, 5 ml Germany	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
67	Heat Proof Gloves Medium	2	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted	Accepted
68	Kymograph paper	50	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
69	Laboratory thermometers	20	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted
70	Lactometer	6	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
71	Long Plastic Droppers Pyrogen Free Pack of 10	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery



Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&S / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
72	Measuring Cylinder 100 ml (Pyrex)	15	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
73	Measuring Cylinder 1000 ml (Pyrex)	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
74	Measuring cylinder 500 ml (Pyrex)	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
75	Microcentrifuge tube rack 6 pcs	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
76	Microcentrifuge tubes, 2.0ml 500 pcs	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
77	Micrometer	7	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
78	Micropipette tips 1 ul, 1000/Pack	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
79	Micropipette tips 1000 ul, 1000/Pack	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
80	Micropipette tips 200 ul, 1000/Pack	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
81	Micropipette tips 5 ul, 1000/Pack	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
82	Multi-sample venous blood collection needle 20 gm 01 box	1	Not Qouted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
83	PCR Tubes 100pcs	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
84	Petri dishes Disposable	500	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
85	Pipette Pump/bulb	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
86	Plastic buckets 50	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
87	Plastic gloves Pack of 100	3	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Accepted	Accepted
88	Plastic needle holder for blood collection Pack of 100	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
89	Plastic wash bottles Pack of 6	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
90	Platinum loop	20	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Accepted
91	Racks for test tubes (Plastic)	6	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
92	Solution Bottle 1000ml	6	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted
93	Solution Bottle 250ml	6	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted
94	Solution Bottle 500ml	6	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted
95	Specimen round Glass Jars with lid (Height 1ft 9in & Diameter 8inch)	4	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
96	Specimen round Glass Jars with lid (Height 9in & Diameter 8inch)	4	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
97	Spirit Lamp	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
98	Staining Jars	10	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
99	Sterile applicators (swabs)	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
100	Sterile Pasteur pipettes plastic- 1ml Pack of 500	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
101	Surgical Rubber Tubing Y-shaped	30	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
102	Syringe BD 10ml (glass made)	2	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery



Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&AS / Chairman
Department of Microbiology

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
103	Syringe BD 20ml (glass made)	2	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
104	Syringe Insulin Pack of 100	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
105	Tripod stands	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
106	Volumetric Flask (1000ml)	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
107	Volumetric Flask (250ml)	36	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
108	Volumetric Flask (500ml)	36	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
109	Volumetric Flask 100ml	18	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
110	Volumetric Flask 50ml	18	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
111	Wash bottle, integrated spout Pack of 6	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
112	Wash bottles	3	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
113	Wintrobe (ESR) stand	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
114	Wire gauze	10	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
115	X-Ray Film Processing Tank (Plastic)	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
116	X-Ray Films 08" × 10" Box	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
117	X-Ray Films 10" × 12" Box	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
118	X-Ray Films 12" × 15" Box	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
119	Zipper lock bags 1kg	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted


Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology


Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery


Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition


Prof. Dr. M. Khalid Mansoor
Principal UCV&AS / Chairman
Department of Microbiology

**Technical Statement for the Purchase of Chemicals & Glassware for
University College of Nursing, Faculty of Medicine and Allied Health
Sciences Tender-B Form (IPB-106)**

Sr. #	Name of Chimerical	Wahid Scientific Store Lahore	Usman Lab Traders Faisalabad	Rahat Enterprises Bahawalpur
1	H ₂ SO ₄	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
2	Alfa Nephtol	Carlo Erba (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
3	Iodine Solution	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
4	Glucose	Carlo Erba (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
5	Potassium Iodide	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
6	Barfoerd Reagents	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
7	Seliwanoff Reagents	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
8	Resorcinol	Carlo Erba (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
9	HCL	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
10	Fehlings A&B	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
11	Cooper Oxide	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
12	Pottasium Oxide	Not Quoted (Rejected)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)

[Signature]

[Signature]

[Signature]

13	<u>Sodium potassium titrate</u>	Carlo Erba (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
14	<u>Benedict Reagents</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
15	<u>Sodium Citrate</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
16	<u>Sodium Carbonate</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
17	<u>Ferric chloride</u>	Carlo Erba (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
18	<u>Phenyl Hydrazine</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
19	<u>Sodium Acetate</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
20	<u>Glacial Acetic Acid</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
21	<u>Fructose</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
22	<u>Lactose</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
23	<u>Sucrose</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
24	<u>Moolish Reagents</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
25	<u>Chloroform</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
26	<u>Maltose</u>	Carlo Erba (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
27	<u>Starch</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
28	<u>Al-Bumin Egg Powder</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
29	<u>Urea</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)
30	<u>Ninhydrine</u>	Sigma Aldrich (Accepted)	No Catalouge Number (Rejected)	Rejected (No CDR Attached)

Handwritten signature

Handwritten signature

Handwritten signature

31	<u>Amino Acid</u>	<u>Sigma Aldrich</u> (Accepted)	<u>No Catalogue Number</u> (Rejected)	<u>Rejected</u> (No CDR Attached)
32	<u>Proline</u>	<u>Sigma Aldrich</u> (Accepted)	<u>No Catalogue Number</u> (Rejected)	<u>Rejected</u> (No CDR Attached)
33	<u>N/10 HCL</u>	<u>Pak</u> (Accepted)	<u>Fisher</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
34	<u>Sodium Citrate</u>	<u>Sigma Aldrich</u> (Accepted)	<u>No Catalogue Number</u> (Rejected)	<u>Rejected</u> (No CDR Attached)
35	<u>Anti-Sera (ABC)</u>	<u>Germany</u> (Accepted)	<u>ATLAS</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
36	<u>RBC Reagent</u>	<u>Pak</u> (Accepted)	<u>Victroline</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
37	<u>WBC Reagent</u>	<u>Pak</u> (Accepted)	<u>Victroline</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
38	<u>E.C.G paper Roll</u>	<u>China</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
39	<u>E.C.G Gel</u>	<u>Pak</u> (Accepted)	<u>Local</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
40	<u>Pipette 1ml</u>	<u>Germany</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
41	<u>Pipette 5ml</u>	<u>Germany</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
42	<u>Pipette 10ml</u>	<u>Germany</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
43	<u>Test Tubes</u>	<u>China</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
44	<u>Beakers 250 ml</u>	<u>China</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
45	<u>Measuring Cylinder 100ml</u>	<u>China</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
46	<u>Suckers</u>	<u>Germany</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
47	<u>Stand Test Tube Steel</u>	<u>Pak</u> (Accepted)	<u>Pak</u> (Accepted)	<u>Rejected</u> (No CDR Attached)
48	<u>Glass Slides</u>	<u>China</u> (Accepted)	<u>China</u> (Accepted)	<u>Rejected</u> (No CDR Attached)

49	<u>Test Tube Holder</u>	Pak (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
50	<u>Burner</u>	Pak (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
51	<u>Narrow Mouth bottle</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
52	<u>Dropper</u>	Pak (Accepted)	China (Accepted)	Rejected (No CDR Attached)
53	<u>Trypot iron stand</u>	Pak (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
54	<u>Wire gauze</u>	Pak (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
55	<u>Heamoglobin Sets</u>	Germany/China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
56	<u>Caplri tubes</u>	Germany (Accepted)	Germany (Accepted)	Rejected (No CDR Attached)
57	<u>R.B.C Pipette</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
58	<u>W.B.C Pipette</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
59	<u>E.S.R Stand</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
60	<u>E.S.R Tube</u>	China (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
61	<u>Neubar Chambar</u>	Germany (Accepted)	China/Germany (Accepted)	Rejected (No CDR Attached)
62	<u>Syring 3cc</u>	Pak (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
63	<u>Picking Needle</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
64	<u>Cover Slips</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
65	<u>Tooth Pics</u>	Pak (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
66	<u>Test Tube</u>	China (Acce	China (Accepted)	Rejected (No CDR Attached)

Handwritten signature

Handwritten signature

Handwritten signature

67	Test Tube Hoder	pted) Pak (Accepted)	China (Accepted)	Rejected (No CDR Attached)
68	Cotton Roll	China (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
Skelton System				
1	Complete Skelton bone (small +Large)	China/china (Accepted)	China (Accepted)	Rejected (No CDR Attached)
2	Complete Skelton Rubber	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
Whole System Torso				
1	(a) Large	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
2	(b) Small	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
Bones Axial Skelton				
1	Skull	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
2	Ribs	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
3	Stemum	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
4	Vertebrae	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
Upper Limb; Complete set Disarticulated				
1	Humerus	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
2	Radius	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
3	Ulna	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
4	Carpas	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

K. K. K.

Sh. 2

Sh. 2

<u>5</u>	<u>Meta Carpas</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>6</u>	<u>Phalanges</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>7</u>	<u>Scapula</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>8</u>	<u>Clavicle</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

The Lower Limb; Complete set Disarticulated

<u>1</u>	<u>In nominate bone</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	<u>Femur</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	<u>Patella</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	<u>Tibia</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>5</u>	<u>Febula</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>6</u>	<u>Tarsal</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>7</u>	<u>Meta Tarsal</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Urinary System; Complete model of urinary system

<u>1</u>	<u>Male</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>2</u>	<u>Female</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)

Handwritten signature

Handwritten signature

Handwritten signature

3	<u>Kidney model separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>Circulatory system</u>				
1	<u>Heart Separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>Respiratory System</u>				
1	<u>Lungs models separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>Digestive System</u>				
1	<u>Stomach model separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>ENT system</u>				
1	<u>Eye model separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
2	<u>Ear model separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
3	<u>Teeth (Jaw) model separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
4	<u>Tooth model</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>Nervous system</u>				
1	<u>Brain model separate 15 parts</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
<u>Integumentary system</u>				
1	<u>Skin model Separate</u>	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)

Handwritten signature

Handwritten signature

Handwritten signature

Reproductive system					
1	Male	China (Accepted)		China (Accepted)	Rejected (No CDR Attached)
2	Female	China (Accepted)		China (Accepted)	Rejected (No CDR Attached)
Anatomical Charts					
All Chart on board with Lamination (size 18x24)					
1	a. Reproductive system male	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
2	b. Article system in human	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
3	c. Respiratory System	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
4	d. Human Anatomy	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
5	e. Chart of teeth	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
6	f. Muscular system	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
7	g. Human Heart	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
8	h. Urinary system	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
9	i. Human Ear	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
10	j. Urinary system	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
11	k. Human Brain	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
12	l. Human Organs	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)
13	m. Skelton System	China (Accepted)		Pak (Accepted)	Rejected (No CDR Attached)

Handwritten signature

Handwritten signature

Handwritten signature

14	n. Microbiology Chart insert	China (Accepted)	Pak (Accepted)	Rejected (No CDR Attached)
Fundamental of Nursing				
1	Advanced Adult CPR training maniking (soft)	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
2	Advanced Infant CPR training maniking (soft)	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
3	Advanced delivery maternal and neonatal emergency simulator (soft)	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
4	Female catheter model (soft)	Not Quoted (Rejected)	China (Accepted)	Rejected (No CDR Attached)
5	Male catheter model (soft)	Not Quoted (Rejected)	China (Accepted)	Rejected (No CDR Attached)
6	Demonstration model of child birth (soft)	China (Accepted)	China (Accepted)	Rejected (No CDR Attached)
7	I.V injection training pad (soft)	Not Quoted (Rejected)	China (Accepted)	Rejected (No CDR Attached)
8	I.M injection training pad (soft)	Not Quoted (Rejected)	China (Accepted)	Rejected (No CDR Attached)
9	Advanced buttock I.M injection simulator (soft)	Not Quoted (Rejected)	China (Accepted)	Rejected (No CDR Attached)
10	I.V injection training arm (soft)	Not Quoted (Rejected)	China (Accepted)	Rejected (No CDR Attached)
11	Wheel chair	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
12	Patient Bed non electrical	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
13	Bed mattress	Pak	Not Quoted	Rejected

Handwritten signature

Handwritten signature

Handwritten signature

		(Accepted)		(Rejected)		(No CDR Attached)
14	Bed Sheets (White)	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
15	Bed Side Screen	China (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
16	Bed Side Table	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
17	Draw Sheets	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
18	Pillow Sheets/cover	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
19	Pillow	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
20	Drums (steel)	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
21	Trolly (for Articles)	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
22	Sphygmomanometer mercury with stand	China (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
23	E.C.G Machine	China (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
24	Micro Scopes china	China (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
25	BP Apparatus China	China (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
26	Stethoscopes china	China (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
27	Large Tray	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
28	Small Tray	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
29	Kidney Tray	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)
30	Basin (steel)	Pak (Accepted)		Not Quoted (Rejected)		Rejected (No CDR Attached)

[Signature]

[Signature]

[Signature]

<u>31</u>	<u>Basin (Plastic)</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>32</u>	<u>Bowl</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>33</u>	<u>Scissors</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>34</u>	<u>B) Large</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>35</u>	<u>Plan Forceps</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>36</u>	<u>Tooth Forceps</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>37</u>	<u>Mouth gag</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>38</u>	<u>Faetoscope</u>	<u>China</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>39</u>	<u>Thermometer Bath</u>	<u>China</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>40</u>	<u>Hammer Steel</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>41</u>	<u>Hammer Plastic</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>42</u>	<u>Enema cane</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>43</u>	<u>Steamer</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>44</u>	<u>Urinals</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>45</u>	<u>Basin Trolley</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>46</u>	<u>Chital forceps with Jar</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>47</u>	<u>Sponge holding forceps</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	
<u>48</u>	<u>Measuring Jug</u>	<u>Pak</u> (Accepted)		<u>Not Quoted</u> (Rejected)		<u>Rejected</u> (No CDR Attached)	

Handwritten signature/initials

Handwritten signature/initials

Handwritten signature/initials

49	Hot Water bottle	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
50	Air Ring	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
51	Spot Lamp	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
52	Nasal speculum	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
53	Angular dressing forceps	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
54	Post Nasal mirror	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
55	Jar of swab stick and gauze strips	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
56	Percussion hammer	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
57	Dissecting foreceps	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
58	Bowl for warm water	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
59	Humididfler	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
60	Nasal Probe	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
61	Back rest	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
62	Bed cradle/crunches	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
Skill Lab Articals List Nose Examination Tray				
1	Lamp (Spot Lamp)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
2	Head mirror	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
3	Nasal Specula of different size	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Handwritten signature

Handwritten signature

Handwritten signature

4	Angular dressing forceps	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
5	Post nasal mirror	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
6	Bowl Containing Cotton Wol	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
7	Jar of swab sticks and gauze strips	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Physical Examination Tray

1	Ophthalmoscope	Germany (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
2	Ear Speculum	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
3	Nasal Speculum	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
4	Tongue depressor	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
5	Flash light	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
6	Measuring tape	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
7	Precession hammer	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
8	Safety pin	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
9	Tuning fork	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
10	Specimen bottle	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
11	Test tube	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
12	Culture bottle	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Mouth Care Tray

[Handwritten signatures and initials]

<u>1</u>	<u>Artery Forceps</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	<u>Dissecting Forceps</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	<u>Face Towel</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	<u>Small Macintosh</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>5</u>	<u>Cotton Swab in a bowl</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>6</u>	<u>Toung Depresser</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>7</u>	<u>Feeding Cup</u>	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Back Care Tray

<u>1</u>	<u>Basin for Warm water</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	<u>Soap</u>	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	<u>Spirit</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	<u>Maskintosh</u>	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Bed Pain Tray

<u>1</u>	<u>Bed Pan with cover</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	<u>Towel</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	<u>Long artery forceps</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	<u>Bowl with warm water</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>5</u>	<u>Screen for Privacy</u>	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Baby Bath Tray

[Handwritten signatures and initials]

03/12
Tender/68321

<u>1</u>	Screen	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	Jugs	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	Basin	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	Big Towel	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>5</u>	Soap with soap dish	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Foleys Catheterization Tray

<u>1</u>	Surgical gloves	Malaysia (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	Urine Bag	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	Basin	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	Wash Cloth	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>5</u>	Bath Towel	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>6</u>	Bath Blanket	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Miscellaneous

<u>1</u>	Ice Pak	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>2</u>	Mugs	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>3</u>	Enema Can with tubing & Connection Loct	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>4</u>	Motor Pester (Crusher) 6 inch	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
<u>5</u>	Delivery Kit	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

Handwritten signatures and initials at the bottom right of the page.

6	Sputum Mug	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
7	Baby Bath Tub	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
8	Adult Embo with Ttubing	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
9	Re Breating Bag	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
10	Adult Embo with Re Breathing Bag with Box	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
11	Auto Scope	Local (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
12	Umbilical Card clamp	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
13	Steel Tongue Depression	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
14	Color Vision Chart	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
15	Near Vision Chart	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
16	Distance Vision Chart	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
17	Abdominal Binder	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
18	Steel Tray with cover (thermometer Tray)	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
19	Air Ways	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
20	Feto Scope	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
21	Weight Machine (Adult)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
22	Weight Machine (infant)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)





23	Plastic Bowl	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
24	Hammers	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
25	Kettle	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
26	Bed Pan (steel)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
27	Try Cover	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
28	Forceps (Instruments BOX)	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
29	Gauze Dram	Pak (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
30	L Shape Scale	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
31	Spigot Bren	Not Quoted (Rejected)	Not Quoted (Rejected)	Rejected (No CDR Attached)
32	Drainage Bag	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
33	Galipot	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
34	Forceps for delivery	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
35	Slims	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
36	Artery Forceps plain (L)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
37	Curette Forcep	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
38	Artery Forcep plain (S)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
39	Artery Forcep Curve (S)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)
40	Artery Forcep Curve(L)	China (Accepted)	Not Quoted (Rejected)	Rejected (No CDR Attached)

[Handwritten signatures and marks]


41	<u>Dissecting Forcep Tooth</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
42	<u>Dissecting Forcep Plain</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
43	<u>BP Holder</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
44	<u>Sponge Holder</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
45	<u>Scissor (S)</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
46	<u>Curve Scissor</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
47	<u>Straight Scissor (M)</u>	Pak (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
48	<u>Straight Scissor (M)</u>	Pak (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)
49	<u>Card Clamp</u>	China (Accepted)		Not Quoted (Rejected)	Rejected (No CDR Attached)

Signature

Signature

Signature

Sr. No.	Name of Items	Packing	Suppliers Name									
			Wahid Scientific Store	M/S Rahat Enterprises	AF Scientific Traders	Usman Lab Traders	Innovative Scientific Solutions	Abdullah Traders	New Chemical Centre	Bio Chemika Int	Idrees Scientific Traders	Ilyas Sons Scientific Company
103	Syringe BD 20ml (glass made)	2	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted
104	Syringe Insulin Pack of 100	1	Accepted	Accepted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
105	Tripod stands	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Not Qouted	Accepted	Accepted
106	Volumetric Flask (1000ml)	12	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
107	Volumetric Flask (250ml)	36	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
108	Volumetric Flask (500ml)	36	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
109	Volumetric Flask 100ml	18	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
110	Volumetric Flask 50ml	18	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted	Accepted
111	Wash bottle, integrated spout Pack of 6	1	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted
112	Wash bottles	3	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Accepted	Accepted	Accepted	Accepted
113	Wintrobe (ESR) stand	10	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
114	Wire gauze	10	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Not Qouted	Accepted	Accepted	Accepted
115	X-Ray Film Processing Tank (Plastic)	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted
116	X-Ray Films 08" × 10" Box	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
117	X-Ray Films 10" × 12" Box	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
118	X-Ray Films 12" × 15" Box	1	Not quoted	Accepted	Accepted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Not Qouted	Accepted
119	Zipper lock bags 1kg	2	Accepted	Accepted	Accepted	Accepted	Not Qouted	Accepted	Not Qouted	Not Qouted	Not Qouted	Accepted



Dr. Muhammad Shahzad
Associate Professor / Chairman
Department of Pathology



Dr. Abdul Qayyum
Associate Professor / Chairman
Department of Clinical Medicine & Surgery



Dr. Zahid Kamran
Associate Professor / Chairman
Department of Animal Nutrition



Prof. Dr. M. Khalid Mansoor
Principal UCV&S / Chairman
Department of Microbiology