



The Islamia University of Bahawalpur
Department of Chemistry
+92 621 9255473

No. 144...../ Chem

Dated 04/02/2021

Prof. Dr. Muhammad Ashraf,
Chairman Science Material Purchase Committee (SMPC),
The Islamia University of Bahawalpur.


Subject: Evaluation of Technical Quotations for Chemical Tender (Opened on 29-01-2020)
Dear Sir,


1. After evaluation of the technical quotations received for Chemicals purchase tender IPB-26-A. we have found quotations of following firms/suppliers (mentioned below) according to the required specifications and hence request opening of their financial bids.

Sr. No.	Firm/Supplier	Status
1	Bio Chemika Int. Lahore.	Accepted
2	HR Scientific traders, Lahore.	Accepted
3	Allah Daad Enterprises, Bahawalpur.	Accepted
4	Wahid Scientific Store, Lahore.	Accepted
5	Hale Marketing International, Multan.	Accepted
6	ILYAS Sons Scientific Company, Lahore.	Accepted


2. Evaluation is based on the following criteria:
- Not being authorized distributors of mentioned companies (authorization certificate not provided)
 - Insufficient information regarding manufacturing company & catalogue Number
 - Quoted item not according to the required specification


Technical Evaluation Committee:


Member 1:
Professor
Department of Chemistry
The Islamia University Bahawalpur


Member 2:
Professor
Department of Chemistry
The Islamia University Bahawalpur


Member 3:
Professor
Department of Chemistry
The Islamia University Bahawalpur


Chairman 4.2.21
Department of Chemistry
CHAIRMAN
Department of Chemistry
The Islamia University of Bahawalpur


Chairman 4.2.21
Science material Purchase Committee



The Islamia University of Bahawalpur
Department of Chemistry
+92 621 9255473

No. 145...../ Chem

Dated 04/02/2021

Prof. Dr. Muhammad Ashraf,
Chairman Science Material Purchase Committee (SMPC),
The Islamia University of Bahawalpur.


Subject: Evaluation of Technical Quotations for Equipment Tender (Opened on 29-01-2020)
Dear Sir,


1. After evaluation of the technical quotations received for Equipment purchase tender IPB-26-B. We have found quotations of following firms/suppliers (mentioned below) according to the required specifications and hence request opening of their financial bids.


Sr. No.	Firm/Supplier	Status
1	Wahid Scientific Store, Lahore.	Accepted item # 1,2,3,4,5
2	Hale Marketing International, Multan.	Accepted Item # 2, 4
3	Meditron Trading Corporation, Peshwar	Accepted item # 1,2,3,4


2. Evaluation is based on the following criteria:
- Not being authorized distributors of mentioned companies (authorization certificate not provided)
 - Insufficient information regarding manufacturing company & catalogue Number
 - Quoted item not according to the required specification

Technical Evaluation Committee:



Member 1: Professor
Department of Chemistry
The Islamia University Bahawalpur


Member 2: Professor
Department of Chemistry
The Islamia University Bahawalpur


Member 3: Professor
Department of Chemistry
The Islamia University Bahawalpur


Chairman 4.2.21
Department of Chemistry

CHAIRMAN
Department of Chemistry
The Islamia University of Bahawalpur


Chairman 4.2.21
Science material Purchase Committee

<u>Sr. #</u>	<u>Name of Chimerical</u>	<u>Wahid Scientific Store Lahore</u>	<u>Price Inclusive of G.S.T</u>	<u>Musa jee Adam & Sons</u>	<u>Price Inclusive of G.S.T</u>	<u>Idrees Scientific Traders</u>	<u>Price Inclusive of G.S.T</u>	<u>ILays sons Scientific Co.</u>	<u>Price Inclusive of G.S.T</u>	<u>Bio Chemika int.</u>	<u>Price Inclusive of G.S.T</u>	<u>Rahat Interprises bwp</u>	<u>Price Inclusive of G.S.T</u>	<u>Inovative Scientific Solutions lahore</u>	<u>Price Inclusive of G.S.T</u>	<u>Hale Marketing International Multan</u>	<u>Price Inclusive of G.S.T</u>
<u>1</u>	<u>Gym ball 55cm</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>2</u>	<u>Gym ball 65cm</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>3</u>	<u>Gym ball 75cm</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>4</u>	<u>Gym ball 85cm</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>5</u>	<u>Gym ball 100cm</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>6</u>	<u>Wheel chair</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>7</u>	<u>Quadripod cane</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>8</u>	<u>Tripod cane</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>9</u>	<u>Simple cane /stick</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>10</u>	<u>Elbow crutches</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>11</u>	<u>Axillary crutches</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>12</u>	<u>Walker without wheels</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>13</u>	<u>Finger ladder</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	

							<u>Accepted</u>										
<u>14</u>	<u>Ankle weight 1kg</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>15</u>	<u>Therutuges set of 3</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>16</u>	<u>Goniometer set of 5 Baseline copy</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>17</u>	<u>Goniometer Imported set</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>18</u>	<u>Goniometer steel digital</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>19</u>	<u>Theraband Set of 3</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>20</u>	<u>Yoga mat 6mm</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>21</u>	<u>Plumb line imported</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>22</u>	<u>Yoga mat 10mm</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>23</u>	<u>Yoga mat 8mm high quality</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>24</u>	<u>Examination Stool</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>25</u>	<u>Cones Set</u>	<u>China/pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>26</u>	<u>Physioball(hand)</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>27</u>	<u>Gym ball air pumb</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>28</u>	<u>Pully with ropes</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>29</u>	<u>Mulligan belt</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>30</u>	<u>Hand dynamometer</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>31</u>	<u>Posture Gird</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>32</u>	<u>Bubble Inclinator</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>33</u>	<u>Stop Watch</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		
<u>34</u>	<u>Foam Rollers and wedges Set of 6</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJEC TED</u>		

<u>35</u>	<u>Abduction Ladder C shaped</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>36</u>	<u>Planes and axes model</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>37</u>	<u>BMI dial</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>38</u>	<u>Tehraband blance board Rocker</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>39</u>	<u>Tehraband blance board Wobble</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>40</u>	<u>Recumbent Bike</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>41</u>	<u>Reflex Hammer set of 5 Imported</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>42</u>	<u>Reflex Hammer special</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>43</u>	<u>Measuring Tape</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>44</u>	<u>Measuring Tape</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>45</u>	<u>Measuring Tape with MBI</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>46</u>	<u>Aerobic Stepper Small</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>47</u>	<u>Weighing Scale Digital</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>48</u>	<u>Weighing Scale Height</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>49</u>	<u>Bender</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>50</u>	<u>Wrist Exerciser</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>51</u>	<u>Quadriceps Chair With Weights and</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>52</u>	<u>Monkey bar 2.5, wooden (Wall Bar)</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>53</u>	<u>BP apparatus mercury</u>	<u>China/pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accep</u>	

																<u>ted</u>	
<u>54</u>	<u>Stethoscope</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>55</u>	<u>Scissors</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>56</u>	<u>First Aid box complete</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>57</u>	<u>Walker with wheel</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak/simple Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>58</u>	<u>Pulse oximeter</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>59</u>	<u>Parallel bar with wooden Base MS</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>60</u>	<u>Posture Mirror Single</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>61</u>	<u>Stairs Bilateral</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>No company mentioned</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>62</u>	<u>Theraputty 80 gm</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>63</u>	<u>Shoulder wheel</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>64</u>	<u>Standing wedge</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>65</u>	<u>K- Tape Different colours</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>66</u>	<u>Height scale</u>	<u>China/pak accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>67</u>	<u>Peanut Ball</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>68</u>	<u>Treatment Couth High Quality</u>	<u>NOT QUOTED</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>Glassware</u>																	
<u>1</u>	<u>Beaker 100 ml</u>	<u>China Accept</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>USA Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	

<u>2</u>	<u>Beaker</u> <u>250ml</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>3</u>	<u>Beaker 500</u> <u>ml</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>4</u>	<u>Beaker 1</u> <u>liter</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>5</u>	<u>Flacon Tube</u> <u>(50 pes)</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>6</u>	<u>Measuring</u> <u>Cylinder 10ml</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>7</u>	<u>Measuring</u> <u>Cylinder</u> <u>100ml</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>8</u>	<u>Petri Dish 4</u> <u>inch</u>	<u>Germany</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Borosilic</u> <u>ate</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>9</u>	<u>Eppendrof</u> <u>tube 1.5ml</u>	<u>China</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>10</u>	<u>Glass Slides</u>	<u>China</u> <u>Accept</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>11</u>	<u>Glass Cover</u>	<u>China</u> <u>Accept</u>		<u>Germany</u> <u>Accepted</u>		<u>GMBH</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>12</u>	<u>Glass Funnel</u> <u>4 inch</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>13</u>	<u>Test Tube</u> <u>(20ml)</u>	<u>Germany</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>14</u>	<u>Pipette 1 ml</u>	<u>Germany</u> <u>Accept</u>		<u>Germany</u> <u>Accept</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>
<u>15</u>	<u>Pipette 5 ml</u>	<u>Germany</u> <u>Accept</u>		<u>Germany</u> <u>Accept</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>

														<u>ed</u>		<u>pted</u>	
<u>16</u>	Pipette 10 ml	<u>Germany</u> <u>Accept</u>		<u>Germany</u> <u>Accept</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accept</u> <u>ed</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>17</u>	Pestle & Mortar (5 inch)	<u>China</u> <u>Accept</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>Reject</u> <u>ed</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>18</u>	Still Head Adapter (19/26)+Stop per (19/26)	<u>Quickfit</u> <u>Accept</u>		<u>REJECTE</u> <u>D</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>19</u>	Round Bottom Flask 500ml	<u>Pyrex</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>20</u>	Round Bottom Flask 250ml	<u>Pyrex</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>21</u>	Condencer (19/26)	<u>Quickfit</u> <u>Accept</u>		<u>Germany</u> <u>Accept</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>22</u>	Receiving Adapter (19/26)	<u>Quickfit</u> <u>Accept</u>		<u>Borosil</u> <u>Accept</u>		<u>REJECTE</u> <u>D</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>23</u>	Round Bottom Flask(29/32) 1 Litter	<u>Pyrex</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>24</u>	Receiving Flask 500ml	<u>Pyrex</u> <u>Accept</u>		<u>Borosil</u> <u>Accept</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>25</u>	Magnetic Stirrer Barr 1 inch	<u>Germany</u> <u>Accept</u>		<u>Kartel</u> <u>Italy</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>26</u>	Magnetic Stirrer Barr 1/2 inch	<u>Germany</u> <u>Accept</u>		<u>Kartel</u> <u>Italy</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>27</u>	Magnetic Stirrer Barr 1.5 inch	<u>Germany</u> <u>Accept</u>		<u>Kartel</u> <u>Italy</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	

<u>28</u>	<u>Iron Stand</u> (Complete set)	<u>Pak</u> <u>Accept</u>		<u>Local</u> <u>Accepted</u>		<u>Pyrex</u> <u>Accepted</u>		<u>Pak</u> <u>Accept</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>29</u>	<u>Burner</u> (Barrel, Jet , Gas tap,Base)	<u>Pak</u> <u>Accept</u>		<u>Local</u> <u>Accepted</u>		<u>Pak</u> <u>Accepted</u>		<u>Pak</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>30</u>	<u>Tripod Stand</u> <u>Height 5"</u>	<u>Pak</u> <u>Accept</u>		<u>Local</u> <u>Accepted</u>		<u>Pak</u> <u>Accepted</u>		<u>Pak</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>31</u>	<u>Spatula</u> <u>Stainless steel</u> <u>5"</u>	<u>Pak</u> <u>Accept</u>		<u>Local</u> <u>Accepted</u>		<u>Stainless</u> <u>steel</u> <u>Accepted</u>		<u>Pak</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>32</u>	<u>TLC Tank</u>	<u>China</u> <u>Accept</u>		<u>CHM</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>No</u> <u>Quote</u> <u>d</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>33</u>	<u>Reagent</u> <u>Bottle 250ml</u>	<u>China</u> <u>Accept</u>		<u>Gulf</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accept</u> <u>ed</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>34</u>	<u>Capillary Tube</u> (Germany)	<u>Germany</u> <u>Accept</u>		<u>Germany</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>Reject</u> <u>ed</u>		<u>China</u> <u>Acce</u> <u>pted</u>	
<u>35</u>	<u>Aluminum</u> <u>Foil</u>	<u>Diamond</u> <u>Accpet</u>		<u>Local</u> <u>Rejected</u>		<u>UAE</u> <u>Accepted</u>		<u>China</u> <u>Rejected</u>		<u>REJECTED</u>		<u>China</u> <u>Rejected</u>		<u>China</u> <u>Rejected</u>		<u>China</u> <u>Rejec</u> <u>ted</u>	
<u>36</u>	<u>Cellulose</u> <u>Membrane</u> <u>Filter Nitrate</u> (0.45um 47mm	<u>Usa</u> <u>Accepted</u>		<u>CHM</u> <u>Accepted</u>		<u>Import</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>USA</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>Reject</u> <u>ed</u>		<u>REJE</u> <u>CTED</u>	

Chemicals

<u>1</u>	<u>Ammonia</u> <u>Solution</u>	<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Scharlau,</u> <u>Spain</u> <u>Accepted</u>		<u>LGS,UK</u> <u>Accepted</u>		<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Rejected</u> (No catalogue number)		<u>Rejected</u> (No catalogue number)		<u>REJECT</u> <u>ED</u>		<u>Rejecte</u> <u>d (No</u> <u>catalog</u> <u>ue</u> <u>number</u> <u>)</u>	
<u>2</u>	<u>Acetic Acid</u>	<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>LGS,UK</u> <u>Accepted</u>		<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Rejected</u> (No catalogue		<u>Rejected</u> (No catalogue		<u>REJECT</u> <u>ED</u>		<u>Rejecte</u> <u>d (No</u> <u>catalog</u>	

										<u>number)</u>		<u>number)</u>				<u>ue number)</u>	
<u>3</u>	<u>Acetone</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>LGS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue number)</u>	
<u>4</u>	<u>Atropine Sulphate</u>	<u>Sigma Aldrich Accepted</u>		<u>Alfa Aesar Accepted</u>		<u>REJECTE D</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue number)</u>	
<u>5</u>	<u>Vitamin-C</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>VWR Rejected No Catlouag e No,</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJEC TED</u>	
<u>6</u>	<u>Acetylc Chlorine</u>	<u>No Quoted</u>		<u>No Quoted</u>		<u>REJECTE D</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>No Quoted</u>		<u>No Quoted</u>	
<u>7</u>	<u>Acetylc Chlron Esterase</u>	<u>No Quoted</u>		<u>No Quoted</u>		<u>REJECTE D</u>		<u>Sigma Aldrich Accepted</u>		<u>REJECTED</u>		<u>Rejected (No catalogue number)</u>		<u>No Quoted</u>		<u>No Quoted</u>	
<u>8</u>	<u>Asparagrine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>LGS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue number)</u>	
<u>9</u>	<u>Avicel PH 101</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>REJECTE D</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJEC TED</u>	
<u>10</u>	<u>Avicel PH 102</u>	<u>Sigma Aldrich</u>		<u>Daejung, Korea</u>		<u>REJECTE D</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>REJECT ED</u>		<u>REJEC TED</u>	

		<u>Accepted</u>		<u>Accepted</u>			<u>catalogue number)</u>		<u>catalogue number)</u>		<u>catalogue number)</u>					
<u>11</u>	<u>Acetonitril</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected Not Catalogue No,</u>	<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>12</u>	<u>Benzil</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>13</u>	<u>Benzene</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>	<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>14</u>	<u>Chlorohydrate</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>	<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>15</u>	<u>Clove Oil</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>16</u>	<u>DMS</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>	<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>17</u>	<u>Ether Solvent</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>18</u>	<u>Filter Paper</u>	<u>Germany Accepted</u>		<u>CHM Accepted</u>		<u>REJECT ED</u>	<u>Germany Accepted</u>		<u>China Accepted</u>		<u>Etc. Accepted</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

19	<u>Glycerin</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
20	<u>Gallic Acid</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
21	<u>Hydrogen Peroxide</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau, Spain Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
22	<u>HCL</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
23	<u>Resorcinol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
24	<u>Methyl Parabin</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
25	<u>Magnesium Carbonate</u>	<u>Carlo erba Accepted</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
26	<u>Magnesium</u>	<u>Sigma</u>		<u>Alfa</u>		<u>Rejected</u>		<u>Sigma</u>		<u>Rejected</u>		<u>Rejected</u>		<u>REJECT</u>		<u>REJECT</u>	

	<u>Citrate Powder</u>	<u>Aldrich Accepted</u>		<u>Aesar Accepted</u>		<u>(No catalogue number)</u>		<u>Aldrich Accepted</u>		<u>(No catalogue number)</u>		<u>(No catalogue number)</u>		<u>ED</u>		<u>TED</u>	
<u>27</u>	<u>Methanol</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>28</u>	<u>Methanol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>29</u>	<u>Nutrent Broth</u>	<u>Sigma Aldrich Accepted</u>		<u>Oxoid, UK Accepted</u>		<u>BioLife Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>30</u>	<u>Nutrent Broth</u>			<u>Oxoid, UK Accepted</u>		<u>BioLife Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>31</u>	<u>Nurient Agar</u>	<u>Sigma Aldrich Accepted</u>		<u>Oxoid, UK Accepted</u>		<u>BioLife Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>32</u>	<u>Paraffin oil</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>33</u>	<u>Potassium Dihydrogen Phosphate</u>	<u>Carlo erba Accepted</u>		<u>REJECT ED</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

															<u>number</u> <u>1</u>	
<u>34</u>	<u>Potassium Permanganate</u>	<u>Carlo erba Accepted</u>		<u>REJECTE D</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected d (No catalogue number)</u> <u>1</u>	
<u>35</u>	<u>Phenol</u>	<u>China Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Pak Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>REJECT ED</u>	
<u>36</u>	<u>Petroleum Jelly</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>GLS,UK Accepted</u>		<u>Pak Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected d (No catalogue number)</u> <u>1</u>	
<u>37</u>	<u>2-Propanol</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>REJECT ED</u>	
<u>38</u>	<u>Potassium Ferrocyanide</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>REJECT ED</u>	
<u>39</u>	<u>Polyvinyl Alcohol</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>REJECT ED</u>	
<u>40</u>	<u>Peppermint oil</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>REJECT ED</u>	
<u>41</u>	<u>Oleic acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>REJECT ED</u>	

<u>42</u>	<u>Orcenol</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau, Spain Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>43</u>	<u>Olive oil</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>44</u>	<u>Sodium hydroxide</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>45</u>	<u>Silica Gel Fro TLC</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau, Spain Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>46</u>	<u>Sodium metal</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>47</u>	<u>Safranin</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>48</u>	<u>Sulpher</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>49</u>	<u>Sodium sulphite</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

																<u>number</u> <u>1</u>	
<u>50</u>	<u>Urea</u>	<u>Carlo</u> <u>erba</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>GLS,UK</u> <u>Accepted</u>		<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>Rejecte</u> <u>d (No</u> <u>catalog</u> <u>ue</u> <u>number</u> <u>1</u>	
<u>51</u>	<u>Thiourea</u>	<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>GLS,UK</u> <u>Accepted</u>		<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>Rejecte</u> <u>d (No</u> <u>catalog</u> <u>ue</u> <u>number</u> <u>1</u>	
<u>52</u>	<u>Tyrosine</u>	<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>GLS,UK</u> <u>Accepted</u>		<u>Rejected</u> <u>(No</u> <u>catalogu</u> <u>e</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>53</u>	<u>Euclyptus oil</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Rejected</u> <u>(No</u> <u>catalogu</u> <u>e</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>54</u>	<u>Zein</u>	<u>No</u> <u>Quoted</u>		<u>ACROS</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>Rejected</u> <u>(No</u> <u>catalogu</u> <u>e</u> <u>number)</u>		<u>REJECTED</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>55</u>	<u>X-Glucosidase</u>	<u>No</u> <u>Quoted</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Rejected</u> <u>(No</u> <u>catalogu</u> <u>e</u> <u>number)</u>		<u>REJECTED</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>56</u>	<u>Xanthin</u> <u>Oxidose</u>	<u>No</u> <u>Quoted</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Rejected</u> <u>(No</u> <u>catalogu</u> <u>e</u> <u>number)</u>		<u>REJECTED</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	

Chemical

<u>1</u>	<u>Methanol</u> <u>(Commercial)</u>	<u>Saudia</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>No</u> <u>Quoted</u> <u>(Rejecte</u> <u>d)</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Etc</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>2</u>	<u>n-Hexane</u> <u>(commercial</u> <u>)</u>	<u>Russia</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>No</u> <u>Quoted</u> <u>(Rejecte</u> <u>d)</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Etc</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>3</u>	<u>Dichlorometh</u> <u>ane</u> <u>(commercial)</u>	<u>Taiwan</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>No</u> <u>Quoted</u> <u>(Rejecte</u> <u>d)</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Etc</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	
<u>4</u>	<u>Chloroform</u> <u>(commercial)</u>	<u>ICI</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>No</u> <u>Quoted</u> <u>(Rejecte</u> <u>d)</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Etc</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJEC</u> <u>TED</u>	

Lab Equipment

<u>1</u>	<u>Water Bath 4</u> <u>Hole</u>	<u>China</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>U.S.A</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accept</u> <u>ed</u>	
<u>2</u>	<u>Digital</u> <u>Weight</u> <u>Balance</u>	<u>China</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>Tiwan</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>China</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>REJEC</u> <u>TED</u>	
<u>3</u>	<u>Cotton Roll</u> <u>Large</u>	<u>Pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>Local</u> <u>Accepted</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>REJEC</u> <u>TED</u>	
<u>4</u>	<u>Syringe 3CC</u> <u>Sterlized</u>	<u>Pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>Shafi</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>REJEC</u> <u>TED</u>	
<u>5</u>	<u>Syringe 5CC</u> <u>Sterlized</u>	<u>Pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>Shafi</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>REJEC</u> <u>TED</u>	
<u>6</u>	<u>N/10 HCL</u>	<u>Pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>Local</u> <u>Accept</u> <u>ed</u>	
<u>7</u>	<u>Sodium</u> <u>Citrate</u>	<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Daejung,</u> <u>Korea</u> <u>Accepted</u>		<u>Rejected</u> <u>(No</u> <u>catalogu</u> <u>e</u> <u>number)</u>		<u>Sigma</u> <u>Aldrich</u> <u>Accepted</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>Rejected</u> <u>(No</u> <u>catalogue</u> <u>number)</u>		<u>REJECTE</u> <u>D</u>		<u>Rejecte</u> <u>d (No</u> <u>catalogu</u> <u>e</u> <u>number)</u>	

8	<u>Whatman filter paper No 41</u>	<u>Whatman Accepted</u>		<u>CHM Accepted</u>		<u>Whatman Accepted</u>		<u>Whatman Accepted</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>China Rejected</u>	
9	<u>Cover Slip</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>GMBH Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	
10	<u>Tooth Picks</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>	
11	<u>Anti Sera ABC</u>	<u>Germany Accepted</u>		<u>REJECTED</u>		<u>No Company Mentioned</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>	
12	<u>Capillary Tubess</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>China Accepted</u>		<u>Germany Accepted</u>		<u>U.S.A Accepted</u>		<u>China Rejected</u>		<u>REJECTED</u>	
13	<u>RBC Reagent</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	
14	<u>WBC Reagent</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	
15	<u>Pricking Needle</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>	
16	<u>ECG Roll</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>	
17	<u>ECG Gel</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTED</u>	
18	<u>ESR solution</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	
19	<u>RBC Pipette</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>GMBH Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	
20	<u>ESR Tube</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	
21	<u>ESR Stand</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>	

<u>23</u>	<u>Test Tube(20ml)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Plastic Rejected</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>	
<u>24</u>	<u>Cedar Wood oil</u>	<u>Sigma Aldrich Accepted</u>		<u>Welcosol Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>Sigma Aldrich Rejected</u>	
<u>25</u>	<u>Hand Sanitizer</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTED</u>	
<u>26</u>	<u>Duster</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTED</u>	
<u>27</u>	<u>Face Mask</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>Local Accepted</u>	
<u>28</u>	<u>Stethoscope</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>	
<u>29</u>	<u>Bp Apparatus</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>	
<u>30</u>	<u>HB Set</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>	

Chemicals

<u>1</u>	<u>Acetylchloride</u>	<u>Sigma Aldrich Accepted</u>		<u>Alfa Aesar Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>2</u>	<u>Atropine</u>	<u>Sigma Aldrich Accepted</u>		<u>Alfa Aesar Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>3</u>	<u>Barium chloride</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

					<u>number)</u>		<u>number)</u>							<u>number)</u>	
<u>4</u>	<u>Calcium Chloride</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>	<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>5</u>	<u>Field Stain A</u>	<u>Sigma Aldrich Accepted</u>		<u>Welcosol Accepted</u>	<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>6</u>	<u>Field Stain B</u>	<u>Sigma Aldrich Accepted</u>		<u>Welcosol Accepted</u>	<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>7</u>	<u>Glucose</u>	<u>Carlo erba Accepted</u>		<u>Daejung, Korea Accepted</u>	<u>GLS,UK Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>8</u>	<u>HCL</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>	<u>GLS,UK Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>9</u>	<u>Nutrient Agar</u>	<u>Sigma Aldrich Accepted</u>		<u>Oxoid,UK Accepted</u>	<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>10</u>	<u>Potassium chloride</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>	<u>GLS,UK Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>11</u>	<u>RBC Count solution</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>	<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	

						<u>e number) gue Number</u>		<u>e number)</u>		<u>number)</u>					<u>e number)</u>		
<u>12</u>	<u>Saboured Dextrose agar</u>	<u>Biolife Italy Accepted</u>		<u>Oxoid,UK Accepted</u>		<u>BioLife Accepted</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>13</u>	<u>Sodium Citrate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>14</u>	<u>Sodium bicarbonate</u>	<u>Carlo erba Accepter d</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>15</u>	<u>Sodium Dihydrogen Phosphate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>16</u>	<u>Sodium Chloride</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>17</u>	<u>Tri Sodium Citrate</u>	<u>Carlo erba Accepter d</u>		<u>Daejung, Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Rejected (No catalogu e number)</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>18</u>	<u>Turpentine oil</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>REJECTE D</u>		<u>Rejected (No catalogu e number)</u>		<u>REJECTED</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalogu e number)</u>	
<u>19</u>	<u>WBC Count Solution</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>REJECT ED</u>		<u>Local Accept</u>	

						<u>catalogue e number)</u>		<u>catalogu e number)</u>		<u>catalogue number)</u>		<u>catalogue number)</u>				<u>ed</u>	
Drugs/Kits/Prepared slides																	
<u>1</u>	Atropine	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	Phenylephrin e	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>3</u>	Pilocarpice	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>4</u>	Proparacaine	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>5</u>	Tropicamide	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>6</u>	Blood Grouping Antisera	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>Alta Medi cal Acce pted</u>	
<u>7</u>	Colorimetric Kit Creatinine	<u>Litron France Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>Local /Cchi na Acce pted</u>	
<u>8</u>	Colorimetric Kit Uric Acid	<u>LabKit Spain Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>Local /Cchi na Acce pted</u>	
<u>9</u>	Colorimetric Kit Urea	<u>Bioresea rch Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>Local /Cchi na Acce pted</u>	
<u>10</u>	Colorimetric Kit GPT	<u>LabKit Spain Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>REJECTED</u>		<u>REJECT ED</u>		<u>Local /Cchi na Acce pted</u>	

<u>11</u>	Colorimetric Kit ALT	<u>LabKit Spain Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>12</u>	Colorimetric Kit Total Cholesterol	<u>LabKit Spain Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Rejected</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>14</u>	Colorimetric Kit LDL	<u>Bioresea rch Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>15</u>	Colorimetric Kit TG	<u>MTD Italy Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>16</u>	Glucometer with strips	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>17</u>	Urine protein detection strips	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>18</u>	Urine glucose detection strips	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	
<u>19</u>	Prepared miscroscopic slides specimen set	<u>Carolina Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTED</u>		<u>REJECTED</u>				<u>Local /Cchi na Acce pted</u>	

Glassware

<u>1</u>	<u>E.S.R tub</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Reject ed</u>		<u>China Acce pted</u>	
<u>2</u>	<u>Petri dishes</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>		<u>China Acce pted</u>	
<u>3</u>	<u>R.B.C pipette</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Reject ed</u>		<u>REJE CTED</u>	
<u>4</u>	<u>Test tubes (100 pcs)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>		<u>China Acce pted</u>	
<u>5</u>	<u>Test tubes (100 pcs)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Reject ed</u>		<u>China Acce pted</u>	
<u>6</u>	<u>W.B.C pipette</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Reject ed</u>		<u>REJE CTED</u>	

Equipments

<u>1</u>	<u>Jar (5 ltr)</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	<u>Plastic bucket</u>	<u>Pak Accepted</u>		<u>Kartel, Italy Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

Consumables

<u>1</u>	<u>Burner patti</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	<u>Capillary tubes</u>	<u>Garmany Accepted</u>		<u>Germany Accepted</u>		<u>China Accepted</u>		<u>Garmany Accepted</u>		<u>REJECTED</u>		<u>China Rejected</u>		<u>REJECT ED</u>		<u>China Rejec ted</u>	
<u>3</u>	<u>Cotton Roll (Large)</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>	
<u>4</u>	<u>Cover Slips</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>5</u>	<u>Duster</u>	<u>Pak</u>		<u>REJECTE</u>		<u>Pak</u>		<u>Pak</u>		<u>REJECTED</u>		<u>China</u>		<u>REJECT</u>		<u>REJE</u>	

		<u>Accepted</u>		<u>D</u>		<u>Accepted</u>		<u>Accepted</u>			<u>Accepted</u>		<u>ED</u>		<u>CTED</u>	
<u>6</u>	<u>E.C.G. Paper</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>15</u>	<u>E.C.G. Gel</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>16</u>	<u>Face Mask</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>
<u>17</u>	<u>Hand Sanitizer</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>
<u>18</u>	<u>Kymugraph Paper</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>19</u>	<u>Litmus Paper</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>20</u>	<u>Match Box</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>21</u>	<u>Micro Pipette tips</u>	<u>China Accepted</u>		<u>Axygen, USA Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>
<u>22</u>	<u>Needles(Thin)</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>21</u>	<u>pH paper</u>	<u>Pak Accepted</u>		<u>CHM, Spa in Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>22</u>	<u>Pricking Needle</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>23</u>	<u>Soap</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>24</u>	<u>Stapler</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>25</u>	<u>Stapler pin</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>26</u>	<u>Surgical gloves</u>	<u>Malayasi a Accepted</u>		<u>REJECTE D</u>		<u>Malysia Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>27</u>	<u>Syringes 1CC</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Star Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>
<u>28</u>	<u>Syringes 3CC</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Shafi Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>

<u>29</u>	<u>Syringes 5CC</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Shafi Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>30</u>	<u>Thread</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>31</u>	<u>Tooth piks</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>32</u>	<u>Torch batteries (L)</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>33</u>	<u>Whatman filter paper No 42</u>	<u>Whatman Accepted</u>		<u>CHM,Spain Accepted</u>		<u>Whatman Accepted</u>		<u>Whatman Accepted</u>		<u>REJECTED</u>		<u>Whatman Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

Chemicals

<u>1</u>	<u>Alpha Napthol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	<u>Ethanol</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>3</u>	<u>Copper sulphate</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>4</u>	<u>Potassium hydroxide</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>5</u>	<u>Sod Potassium Tartrate</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

															<u>number</u>	
<u>6</u>	<u>Sod. Citrate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>7</u>	<u>Sod. Carbonate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>8</u>	<u>Copper Acetate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>9</u>	<u>Glacial Acetic acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>10</u>	<u>Orcinol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>11</u>	<u>HCL</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>12</u>	<u>Ferric chloride</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>

										<u>number)</u>		<u>number)</u>				<u>ue numbe r)</u>	
<u>13</u>	<u>Resorcinol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>14</u>	<u>Iodine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>15</u>	<u>Potassium Iodide</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>16</u>	<u>Potassium Thiocyanate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>17</u>	<u>Potassium Gerrocyanide</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>18</u>	<u>Ninhydrin</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>19</u>	<u>Acetone</u>	<u>Sigma Aldrich</u>		<u>REJECTE D</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>REJECT ED</u>		<u>Rejecte d (No</u>	

		<u>Accepted</u>					<u>Accepted</u>		<u>catalogue number)</u>		<u>catalogue number)</u>				<u>catalogue number)</u>	
<u>20</u>	<u>Sodium hydroxide</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>21</u>	<u>Glutamic acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>22</u>	<u>Proline</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>23</u>	<u>Cystine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>24</u>	<u>Dichlorophenol-ubdiogebi</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>25</u>	<u>Sod. Bicarbonate</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>26</u>	<u>Albumin Egg</u>	<u>Sigma</u>		<u>REJECT ED</u>		<u>GLS,UK</u>		<u>Sigma</u>		<u>Rejected</u>		<u>Rejected</u>		<u>REJECT</u>		<u>Rejected</u>

		<u>Aldrich Accepted</u>		<u>D</u>		<u>Accepted</u>		<u>Aldrich Accepted</u>		<u>(No catalogue number)</u>		<u>(No catalogue number)</u>		<u>ED</u>		<u>d (No catalogue number)</u>	
<u>27</u>	<u>Ascorbic Acid</u>	<u>Carlo erba Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>28</u>	<u>Glucose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>29</u>	<u>Fructose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>30</u>	<u>Maltose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>31</u>	<u>Lactose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>32</u>	<u>Sucrose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

<u>33</u>	<u>Galactose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>34</u>	<u>Starch</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>35</u>	<u>Creatinine</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau, Spain Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>36</u>	<u>Picric Acid</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>No, Catalogue number</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>37</u>	<u>Toluene</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>38</u>	<u>n-Butanol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>39</u>	<u>Ammonia solution</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau, Spain Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

															<u>r)</u>	
<u>40</u>	<u>Sulfuric acid</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>No, Catalogue number</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>41</u>	<u>Chloroform</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>No, Catalogue number</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>42</u>	<u>Ether</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>No, Catalogue number</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>43</u>	<u>Glycine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>44</u>	<u>Glycogen</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>45</u>	<u>Phenyl hydrazinium chloride</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>No, Catalogue number</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>
<u>46</u>	<u>Sodium Acetate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung Korea Accepted</u>		<u>GLS,UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>

															<u>numbe</u> <u>r)</u>	
Equipments																
<u>1</u>	<u>Cotton roll</u> <u>(L)</u>	<u>pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>pak</u> <u>Accepted</u>		<u>pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>Local</u> <u>Acce</u> <u>pted</u>
<u>2</u>	<u>D/syringes</u> <u>3cc</u>	<u>pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>Shafi</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>
<u>3</u>	<u>D/syringes</u> <u>5cc</u>	<u>pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>Shafi</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>
<u>4</u>	<u>N/10 HCL</u>	<u>pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>Victorlin</u> <u>e</u> <u>Accepted</u>		<u>pak</u> <u>Accepted</u>		<u>Indonesia</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>Local</u> <u>Acce</u> <u>pted</u>
<u>5</u>	<u>Lab Whatman</u> <u>filter paper</u>	<u>Whatma</u> <u>n</u> <u>Accepted</u>		<u>CHM</u> <u>Accepted</u>		<u>Whatma</u> <u>n</u> <u>Accepted</u>		<u>Whatma</u> <u>n</u> <u>Accepted</u>		<u>Whatman</u> <u>Accepted</u>		<u>Whatman</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>China</u> <u>Acce</u> <u>pted</u>
<u>6</u>	<u>Microscopic</u> <u>glass slides</u>	<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECTED</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>China</u> <u>Acce</u> <u>pted</u>
<u>7</u>	<u>Glass</u> <u>microscope</u> <u>slide cover</u> <u>slips</u>	<u>China</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>U.S.A</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>China</u> <u>Acce</u> <u>pted</u>
<u>8</u>	<u>Tooth pics</u>	<u>pak</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>
<u>9</u>	<u>Anti-Sera</u> <u>(ABO) & Rh</u> <u>system</u>	<u>Germany</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>China</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>REJECTED</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>China</u> <u>Acce</u> <u>pted</u>
<u>10</u>	<u>Glass</u> <u>Capillary</u> <u>Tubes</u>	<u>Germany</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>Germany</u> <u>Accepted</u>		<u>U.S.A</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>China</u> <u>Acce</u> <u>pted</u>
<u>11</u>	<u>RBC Reagent</u>	<u>Pak</u> <u>Accepted</u>		<u>Welcosol</u> <u>Accepted</u>		<u>Victorlin</u> <u>e</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>Indonesia</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>
<u>12</u>	<u>WBC Reagent</u>	<u>Pak</u> <u>Accepted</u>		<u>Welcosol</u> <u>Accepted</u>		<u>Victorlin</u> <u>e</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>Indonesia</u> <u>Accepted</u>		<u>China</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>Local</u> <u>Acce</u> <u>pted</u>
<u>13</u>	<u>Pricking</u>	<u>Pak</u>		<u>REJECTE</u>		<u>China</u>		<u>China</u>		<u>REJECTED</u>		<u>China</u>		<u>REJECT</u>		<u>REJE</u>

	<u>Needle</u>	<u>Accepted</u>		<u>D</u>		<u>Accepted</u>		<u>Accepted</u>				<u>Accepted</u>		<u>ED</u>		<u>CTED</u>	
<u>14</u>	<u>E.C.G Roll</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>15</u>	<u>E.C.G Gel</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>16</u>	<u>E.S.R solution</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>Idonesia Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>	
<u>17</u>	<u>R.B.C pipette</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>18</u>	<u>W.B.C pipette</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>19</u>	<u>E.S.R tube</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>20</u>	<u>E.S.R stand</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	

Equipment

<u>1</u>	<u>Kidney slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	<u>Lungs slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>3</u>	<u>Neuron slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>4</u>	<u>Epithelum slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>5</u>	<u>Connective tissue slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>6</u>	<u>Smooth muscle slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>7</u>	<u>Skeleton muscle/thyro id gland slide</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>8</u>	<u>Blood vessel slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>9</u>	<u>Stomach</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

Glassware

<u>1</u>	<u>Beaker 25 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>2</u>	<u>Beaker 50 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>3</u>	<u>Beaker 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>4</u>	<u>Beaker 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>5</u>	<u>Beaker 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>6</u>	<u>Beaker 1000 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>7</u>	<u>Pipette 1 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>8</u>	<u>Pipette 2 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>9</u>	<u>Pipette 5 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>10</u>	<u>Pipette 10 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>11</u>	<u>Pipette Filler</u>	<u>Germany Accepted</u>		<u>Karteel, Italy Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>12</u>	<u>Measuring Cylinder 10 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>13</u>	<u>Measuring Cylinder 25 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	

<u>14</u>	<u>Measuring Cylinder 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>15</u>	<u>Measuring Cylinder 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>16</u>	<u>Test Tubes (common size)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>17</u>	<u>Test tubes stand (steel)</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Steel Accepted</u>		<u>China Accepted</u>		<u>Rejected</u>		<u>China Accepted</u>		<u>Rejected</u>		<u>China Accepted</u>
<u>18</u>	<u>Burette 25 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>19</u>	<u>Burette 50 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>20</u>	<u>Burette Stand</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Rejected</u>		<u>China Accepted</u>
<u>21</u>	<u>Titration Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>22</u>	<u>Titration Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>23</u>	<u>Test tube holder</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Rejected</u>		<u>China Accepted</u>
<u>24</u>	<u>Measuring Flask 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>Rejected</u>		<u>China Accepted</u>
<u>25</u>	<u>Measuring Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>26</u>	<u>Measuring Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>27</u>	<u>Measuring Flask 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>

													<u>ed</u>		<u>pted</u>	
<u>28</u>	<u>Measuring Flask 10 0 0 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>	<u>China Acce pted</u>	
<u>29</u>	<u>Funnel small Glass 60 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>	<u>China Acce pted</u>	
<u>30</u>	<u>Funnel Large Glass 100 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>	<u>China Acce pted</u>	
<u>31</u>	<u>Alumminium foil</u>	<u>Dimond Accepted</u>		<u>Local Rejected</u>		<u>UAE Accepted</u>		<u>China Accepted</u>		<u>Rejected</u>		<u>China Accepted</u>		<u>Reject ed</u>	<u>China Acce pted</u>	
<u>32</u>	<u>Patri dish glass 4”</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Borosilic ate Glass Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>	<u>China Acce pted</u>	

Chemicals

<u>1</u>	<u>Citric acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Gaejung, Korea Accepted</u>		<u>REJECTE D</u>		<u>No, Catalogu e number</u>		<u>No, Catalogue number</u>		<u>No, Catalogue number</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	<u>Orange red flavor</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No, Catalogu e number</u>		<u>No, Catalogue number</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>3</u>	<u>Lime yellow</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No, Catalogu e number</u>		<u>No, Catalogue number</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>4</u>	<u>Fanta flavor</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No, Catalogu e number</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>5</u>	<u>Pectic</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No, Catalogu e number</u>		<u>No, Catalogue number</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>6</u>	<u>Potassium matabisulfite</u>	<u>Sigma Aldrich</u>		<u>Gaejung, Korea</u>		<u>REJECTE D</u>		<u>No, Catalogu</u>		<u>No, Catalogue</u>		<u>No, Catalogue</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

		<u>Accepted</u>		<u>Accepted</u>			<u>e number</u>		<u>number</u>		<u>number</u>					
<u>7</u>	<u>Sodium benzoate</u>	<u>Sigma Aldrich Accepted</u>		<u>Gaejung, Korea Accepted</u>		<u>REJECT D</u>	<u>No, Catalogue e number</u>		<u>No, Catalogue number</u>		<u>No, Catalogue number</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>8</u>	<u>Cardamom flavor</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>China Accepted</u>		<u>No, Catalogue number</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>9</u>	<u>Glacial acetic acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Gaejung, Korea Accepted</u>		<u>REJECT D</u>	<u>China Accepted</u>		<u>No, Catalogue number</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>10</u>	<u>Strawberry red flavor</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>11</u>	<u>Strawberry flavor</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>12</u>	<u>Salt powder</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>China Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>13</u>	<u>Tomato pulp</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>14</u>	<u>Orange juice</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>15</u>	<u>Sugar</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>16</u>	<u>Mango pulp</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>17</u>	<u>Lemon juice</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>18</u>	<u>Cardamom</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>19</u>	<u>Almonds</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>20</u>	<u>Apple flavor</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>21</u>	<u>Apples</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>22</u>	<u>Strawberry</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
<u>23</u>	<u>Oranges</u>	<u>REJECT D</u>		<u>REJECT D</u>		<u>REJECT D</u>	<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	

<u>24</u>	<u>Ginger</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>25</u>	<u>Garlic</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>26</u>	<u>Onion</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>27</u>	<u>Red chillies</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>28</u>	<u>Spinach</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>29</u>	<u>Carrots</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>30</u>	<u>Condiments</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>31</u>	<u>Cheese</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>32</u>	<u>Cans for fruit & veg</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>33</u>	<u>Cooking oil</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>34</u>	<u>Peas unponded</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>35</u>	<u>Potato</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>36</u>	<u>Apples</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>37</u>	<u>Spinach</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>38</u>	<u>Peas</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>39</u>	<u>Carrots</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>40</u>	<u>Guava</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>41</u>	<u>Spices</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>42</u>	<u>Cabbage</u>	<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	
<u>43</u>	<u>Glass jar (L)</u>	<u>China</u> <u>Accepted</u>		<u>REJECTE</u> <u>D</u>		<u>REJECTE</u> <u>D</u>		<u>Pak</u> <u>Accepted</u>		<u>REJECTED</u>		<u>Local</u> <u>Accepted</u>		<u>REJECT</u> <u>ED</u>		<u>REJE</u> <u>CTED</u>	

44	Glass jar (s)	China Accepted		REJECTE D		REJECTE D		Pak Accepted		REJECTED		Local Accepted		REJECT ED		REJE CTED	
Lab Equipment																	
1	Goniometer	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
2	Gym ball different size	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
3	Measuring tape	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
4	Exercise floor mate	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
5	Crutches Aluminium adjustable	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
6	Walkin frames	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
7	Sticks canes	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
8	Stationary bicycle	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	
9	Quadriceps chair with weights	REJECTE D		REJECTE D		REJECTE D		No company mention ed		REJECTED		China Accepted		REJECT ED		REJE CTED	

<u>10</u>	<u>Reflex hammer</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>11</u>	<u>BP Apparatus</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>12</u>	<u>Stethoscopes</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>13</u>	<u>Inclinometers</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>14</u>	<u>Treatment examination coaches</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>15</u>	<u>Wall bar</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>16</u>	<u>Putty</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>17</u>	<u>Tubing</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>18</u>	<u>Thera band</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>19</u>	<u>Weight machine</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>20</u>	<u>Stop watch</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>21</u>	<u>Balance board straight</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

<u>22</u>	<u>Balance board Rounded</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>23</u>	<u>First aid box</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>24</u>	<u>Mobilization/ mulligan belts Heart rate monitor</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>25</u>	<u>Rower</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>26</u>	<u>Foam Rollers/Wedg es</u>	<u>REJECTE D</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>No company mention ed</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

Lab Equipment

<u>1</u>	<u>Cotton roll (L)</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>	
<u>2</u>	<u>D/syringes 3cc</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Shafi Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>3</u>	<u>D/syringes 5cc</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Shafi Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>4</u>	<u>N/10 HCL</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Victorlin e Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>	
<u>5</u>	<u>Lab Whitman filter paper</u>	<u>Whatma n Accepted</u>		<u>REJECTE D</u>		<u>Whatma n Accepted</u>		<u>Whatma n Accepted</u>		<u>REJECTED</u>		<u>Whatman Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>6</u>	<u>Microscopic glass slides</u>	<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>7</u>	<u>Glass microscope slide cover slips</u>	<u>Pak Accepted</u>		<u>Germany Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>8</u>	<u>Tooth picks</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

<u>9</u>	<u>Anti-Sera (ABO) & Rh system</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Altas Medi cal Acce pted</u>	
<u>10</u>	<u>Glass Capillary Tubes</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>China Rejected</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>11</u>	<u>RBC Reagent</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>12</u>	<u>WBC Reagent</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>	
<u>13</u>	<u>Pricking Needle</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>14</u>	<u>E.C.G Roll</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>15</u>	<u>E.C.G Gel</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>16</u>	<u>E.S.R solution</u>	<u>Pak Accepted</u>		<u>REJECTE D</u>		<u>Victorlin e Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>Local Acce pted</u>	
<u>17</u>	<u>R.B.C pipette</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>18</u>	<u>W.B.C pipette</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>19</u>	<u>E.S.R tube</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>20</u>	<u>E.S.R stand</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	

Equipment

<u>1</u>	<u>Kidney slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>2</u>	<u>Lungs slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
<u>3</u>	<u>Neuron slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

4	<u>Epithelium slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
5	<u>Connective tissue slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
6	<u>Smooth muscle slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
7	<u>Skeleton muscle/thyroid gland slide</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
8	<u>Blood vessel slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	
9	<u>Stomach</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJE CTED</u>	

Glassware

1	<u>Beaker 25 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
2	<u>Beaker 50 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
3	<u>Beaker 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
4	<u>Beaker 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
5	<u>Beaker 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
6	<u>Beaker 1000 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
7	<u>Pipette 1 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
8	<u>Pipette 2 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
9	<u>Pipette 5 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	

													<u>ed</u>		<u>pted</u>	
<u>10</u>	<u>Pipette 10 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>11</u>	<u>Pipette Filler</u>	<u>Germany Accepted</u>		<u>Kartel, Italy Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>12</u>	<u>Measuring Cylinder 10 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>13</u>	<u>Measuring Cylinder 25 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>14</u>	<u>Measuring Cylinder 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>15</u>	<u>Measuring Cylinder 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>16</u>	<u>Test Tubes (common size)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>17</u>	<u>Test tubes stand (steel)</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Steel Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>18</u>	<u>Burette 25 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>19</u>	<u>Burette 50 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>20</u>	<u>Burette Stand</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>21</u>	<u>Titration Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>22</u>	<u>Titration Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>

<u>23</u>	<u>Test tube holder</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>24</u>	<u>Measuring Flask 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>25</u>	<u>Measuring Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>26</u>	<u>Measuring Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>27</u>	<u>Measuring Flask 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>28</u>	<u>Measuring Flask 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>29</u>	<u>Funnel small Glass 60 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	

Chemicals

<u>1</u>	<u>Alpha Napthol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>2</u>	<u>Ethanol</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>3</u>	<u>Copper sulphate</u>	<u>Carlo erba Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

<u>4</u>	<u>Potassium hydroxide</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenth m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
<u>5</u>	<u>Sod Potassium Tartrate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenth m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
<u>6</u>	<u>Sod. Citrate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenth m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
<u>7</u>	<u>Sod. Carbonate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenth m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
<u>8</u>	<u>Copper Acetate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Not Catlaoge No, Rejected</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
<u>9</u>	<u>Glacial Acetic acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenth m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
<u>10</u>	<u>Orcinol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>		<u>Glenth m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe</u>	

															<u>r)</u>	
<u>11</u>	<u>HCL</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue numbe r)</u>
<u>12</u>	<u>Ferric chloride</u>	<u>Carlo erba Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue numbe r)</u>
<u>13</u>	<u>Resorcinol</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue numbe r)</u>
<u>14</u>	<u>Iodine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue numbe r)</u>
<u>15</u>	<u>Potassium Iodide</u>	<u>Carlo erba Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue numbe r)</u>
<u>16</u>	<u>Potassium Thiocyanate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue numbe r)</u>
<u>17</u>	<u>Potassium Gerrocyanide</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejete d (No catalog ue</u>

					<u>Accepted</u>										<u>number</u>	
<u>18</u>	<u>Ninhydrin</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>	<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>19</u>	<u>Acetone</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>	<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>20</u>	<u>Sodium hydroxide</u>	<u>Carlo erba Accepted</u>		<u>Daejung, KoreaAccepted</u>	<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>21</u>	<u>Glutamic acid</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>	<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>22</u>	<u>Proline</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>	<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>23</u>	<u>Cystine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>	<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	
<u>24</u>	<u>Dichlorophenol-ubdiogebi</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAccepted</u>	<u>REJECT ED</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejected (No catalogue number)</u>	

										<u>number)</u>		<u>number)</u>				<u>ue numbe r)</u>	
<u>25</u>	<u>Sod. Bicarbonate</u>	<u>Carlo erba Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>26</u>	<u>Albumin Egg</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>27</u>	<u>Ascorbic Acid</u>	<u>Carlo erba Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>28</u>	<u>Glucose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>29</u>	<u>Fructose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>30</u>	<u>Maltose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>31</u>	<u>Lactose</u>	<u>Sigma Aldrich</u>		<u>Daejung, KoreaAcc</u>		<u>Glentha m life</u>		<u>Sigma Aldrich</u>		<u>Rejected (No</u>		<u>Rejected (No</u>		<u>REJECT ED</u>		<u>Rejecte d (No</u>	

		<u>Accepted</u>		<u>Accepted</u>		<u>sciences UK Accepted</u>		<u>Accepted</u>		<u>catalogue number</u>		<u>catalogue number</u>			<u>catalogue number</u>	
<u>32</u>	<u>Sucrose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>33</u>	<u>Galactose</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>34</u>	<u>Starch</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, Korea Accepted</u>		<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>35</u>	<u>Creatinine</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau, Spain</u>		<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>36</u>	<u>Picric Acid</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>Not Catalogue No, Rejected</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>37</u>	<u>Toluene</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECT ED</u>		<u>Glenthams life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>	<u>Rejected (No catalogue number)</u>	
<u>38</u>	<u>n-Butanol</u>	<u>Sigma</u>		<u>Daejung,</u>		<u>Glenthams</u>		<u>Sigma</u>		<u>Rejected</u>		<u>Rejected</u>		<u>REJECT</u>	<u>Rejected</u>	

		<u>Aldrich Accepted</u>		<u>KoreaAcc epted</u>		<u>m life sciences UK Accepted</u>		<u>Aldrich Accepted</u>		<u>(No catalogue number)</u>		<u>(No catalogue number)</u>		<u>ED</u>		<u>d (No catalog ue numbe r)</u>	
<u>39</u>	<u>Ammonia solution</u>	<u>Sigma Aldrich Accepted</u>		<u>Scharlau ,Spain</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>40</u>	<u>Sulfuric acid</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Not Catlaoge No, Rejected</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>41</u>	<u>Chloroform</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Not Catlaoge No, Rejected</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>42</u>	<u>Ether</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Not Catlaoge No, Rejected</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>43</u>	<u>Glycine</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	
<u>44</u>	<u>Glycogen</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Glentha m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Rejecte d (No catalog ue numbe r)</u>	

45	<u>Phenyl hydrazinium chloride</u>	<u>Sigma Aldrich Accepted</u>		<u>REJECTE D</u>		<u>Not Catlaoge No, Rejected</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	
46	<u>Sodium Acetate</u>	<u>Sigma Aldrich Accepted</u>		<u>Daejung, KoreaAcc epted</u>		<u>Glenth a m life sciences UK Accepted</u>		<u>Sigma Aldrich Accepted</u>		<u>Rejected (No catalogue number)</u>		<u>Rejected (No catalogue number)</u>		<u>REJECT ED</u>		<u>Reiecte d (No catalog ue numbe r)</u>	

Equipment

1	<u>Kidney slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
2	<u>Lungs slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
3	<u>Neuron slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
4	<u>Epithelium slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
5	<u>Connective tissue slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
6	<u>Smooth muscle slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
7	<u>Skeleton muscle/thyro id gland slide</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
8	<u>Blood vessel slides</u>	<u>Germany Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	
9	<u>Stomach</u>	<u>China Accepted</u>		<u>REJECTE D</u>		<u>REJECTE D</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>REJECT ED</u>	

Glassware

1	<u>Beaker 25 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>		<u>China Acce pted</u>	
2	<u>Beaker 50 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept</u>		<u>China Acce</u>	

												<u>ed</u>		<u>pted</u>	
<u>3</u>	<u>Beaker 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>4</u>	<u>Beaker 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>5</u>	<u>Beaker 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>6</u>	<u>Beaker 1000 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>7</u>	<u>Pipette 1 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>8</u>	<u>Pipette 2 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>9</u>	<u>Pipette 5 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>10</u>	<u>Pipette 10 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>11</u>	<u>Pipette Filler</u>	<u>Germany Accepted</u>		<u>Karteel,Italy Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>	<u>China Accepted</u>
<u>12</u>	<u>Measuring Cylinder 10 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	<u>China Accepted</u>
<u>13</u>	<u>Measuring Cylinder 25 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	<u>China Accepted</u>
<u>14</u>	<u>Measuring Cylinder 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	<u>China Accepted</u>
<u>15</u>	<u>Measuring Cylinder 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	<u>China Accepted</u>

<u>16</u>	<u>Test Tubes (common size)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>17</u>	<u>Test tubes stand (steel)</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Steel Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>18</u>	<u>Burette 25 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>19</u>	<u>Burette 50 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>20</u>	<u>Burette Stand</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>21</u>	<u>Titration Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>22</u>	<u>Titration Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>23</u>	<u>Test tube holder</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>24</u>	<u>Measuring Flask 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>25</u>	<u>Measuring Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>26</u>	<u>Measuring Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>27</u>	<u>Measuring Flask 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>28</u>	<u>Measuring Flask 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>29</u>	<u>Funnel small Glass 60 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>

													<u>ed</u>		<u>pted</u>	
<u>30</u>	<u>Funnel Large Glass 100 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>31</u>	<u>Aluminum foil</u>	<u>Diamond Accepted</u>		<u>Local Rejected</u>		<u>U.E.A Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>				<u>China Accepted</u>
<u>32</u>	<u>Petri dish glass 4"</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Borosilicate Glass Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>1</u>	<u>Cotton roll (L)</u>	<u>Pak Accepted</u>		<u>REJECT ED</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>2</u>	<u>D/syringes 3cc</u>	<u>Pak Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>Shafi Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>3</u>	<u>D/syringes 5cc</u>	<u>Pak Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>Shafi Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>4</u>	<u>N/10 HCL</u>	<u>Pak Accepted</u>		<u>REJECT ED</u>		<u>Victoriline Accepted</u>		<u>Pak Accepted</u>		<u>Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>5</u>	<u>Lab Whitman filter paper</u>	<u>Whatman Accepted</u>		<u>CHM Accepted</u>		<u>Whatman Accepted</u>		<u>Whatman Accepted</u>		<u>Whatman Accepted</u>		<u>Whatman Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>6</u>	<u>Microscopic glass slides</u>	<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>7</u>	<u>Glass microscope slide cover slips</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>8</u>	<u>Tooth picks</u>	<u>Pak Accepted</u>		<u>REJECT ED</u>		<u>Pak Accepted</u>		<u>Pak Accepted</u>		<u>REJECTED</u>		<u>Local Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>9</u>	<u>Anti-Sera (ABO) & Rh system</u>	<u>Germany Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>Germany Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>10</u>	<u>Glass Capillary Tubes</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>

<u>11</u>	<u>RBC Reagent</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Victoriline Accepted</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>12</u>	<u>WBC Reagent</u>	<u>Pak Accepted</u>		<u>Welcosol Accepted</u>		<u>Victoriline Accepted</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>13</u>	<u>Pricking Needle</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>14</u>	<u>E.C.G Roll</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>15</u>	<u>E.C.G Gel</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>16</u>	<u>E.S.R solution</u>	<u>Pak Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>Indonesia Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>17</u>	<u>R.B.C pipette</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>18</u>	<u>W.B.C pipette</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>19</u>	<u>E.S.R tube</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	
<u>20</u>	<u>E.S.R stand</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>	

Glassware

<u>1</u>	<u>Beaker 25 ml</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>2</u>	<u>Beaker 50 ml</u>	<u>China Accepted</u>		<u>REJECT ED</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>3</u>	<u>Beaker 100 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	

<u>4</u>	<u>Beaker 250 ml</u>	<u>China Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>5</u>	<u>Beaker 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>6</u>	<u>Beaker 1000 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>7</u>	<u>Pipette 1 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>8</u>	<u>Pipette 2 ml</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>9</u>	<u>Pipette 5 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>10</u>	<u>Pipette 10 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>11</u>	<u>Pipette Filler</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>china Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>
<u>12</u>	<u>Measuring Cylinder 10 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>13</u>	<u>Measuring Cylinder 25 ml</u>	<u>China Accepted</u>		<u>Karteel,Italy Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>14</u>	<u>Measuring Cylinder 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>15</u>	<u>Measuring Cylinder 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>16</u>	<u>Test Tubes (common size)</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>
<u>17</u>	<u>Test tubes stand (steel)</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Steel Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Accepted</u>

														<u>pted</u>	
<u>18</u>	<u>Burette 25 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>19</u>	<u>Burette 50 ml</u>	<u>Germany Accepted</u>		<u>Germany Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>20</u>	<u>Burette Stand</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>	
<u>21</u>	<u>Titration Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>22</u>	<u>Titration Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>23</u>	<u>Test tube holder</u>	<u>Pak Accepted</u>		<u>Local Accepted</u>		<u>Pak Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>	
<u>24</u>	<u>Measuring Flask 50 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>	
<u>25</u>	<u>Measuring Flask 100 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>26</u>	<u>Measuring Flask 250 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>27</u>	<u>Measuring Flask 500 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>28</u>	<u>Measuring Flask 1000 ml</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>Pyrex Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>REJECT ED</u>	
<u>29</u>	<u>Funnel small Glass 60 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	
<u>30</u>	<u>Funnel Large Glass 100 mm</u>	<u>China Accepted</u>		<u>Gulf Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accepted</u>	

<u>31</u>	<u>Aluminum foil</u>	<u>Dimond Accepted</u>		<u>Local Rejected</u>		<u>U.E.A Accepted</u>		<u>China Accepted</u>		<u>REJECTED</u>		<u>China Accepted</u>		<u>REJECT ED</u>		<u>China Acce pted</u>	
<u>32</u>	<u>Petri dish</u>	<u>Germany Accepted</u>		<u>Gulf Accepted</u>		<u>Borosilic ate Glass Accepted</u>		<u>China Accepted</u>		<u>U.S.A Accepted</u>		<u>China Accepted</u>		<u>China Accept ed</u>		<u>China Acce pted</u>	

Despatch # 79
 Date 04-02-2020
 DEPARTMENT OF PHYSICS
 The Islamia University of Bahawalpur

Technical assessment report for Impedance Analyzer/Network Analyzer at the Institute of Physics
 (Dated: 03-02-2021)

Sr. No.	Items	Quantity	Supplier	Specifications	Remarks
	Impedance Analyzer/ Network Analyzer	1	FAB ENGINEERING SOLUTION	<p>Frequency range: 3 MHz to 6 GHz</p> <p>Impedance: 50 Ohm</p> <p>Sheet thickness 0.3 to 3 mm</p> <p>The database required up to a permittivity of 25 with Dielectric Material Software Suitable for testing ceramics.</p> <p>To measure the dielectric properties, the measured data and inverted permittivity results are automatically saved as text files.</p> <p>Simple calibration using the Teflon calibration sample supplied with every system.</p> <p>Ability to zoom in on a portion of the diagram</p> <p>Real and Imaginary or Tan Delta data plot display</p> <p>Data can be saved in Memory for future reference and comparison of results from more than one measurement.</p> <p>Data can be saved as .png or .csv file for use in reports or spreadsheets.</p> <p>User can define frequency range for measurement and number of measurement points within the VNA frequency range and measurement points' specifications</p> <p>User can switch between a linear and logarithmic frequency scale.</p> <p>User can navigate between different data displays from a single measurement.</p> <p>Suitable for testing ceramics (sample surface must be flat).</p>	<p>Impedance Analyzer/ Network Analyzer offered by FAB ENGINEERING SOLUTION is according to the requirements.</p> <p>The specifications are acceptable and can be procured for HEC-NRPU Project as soon as possible for completion of the research project.</p>

Azhar Khan 4/2/21
 Dr. Muhammad Azhar Khan
 Associate Professor
 Institute of Physics
 (Principal Investigator)

Hafeez Ullah Janjua 4-2-2021
 Dr. Hafeez Ullah Janjua
 Associate Professor
 Institute of Physics
 (Member)

Faisal Iqbal
 Dr. Faisal Iqbal
 Associate Professor
 Institute of Physics
 (Member)

Saeed Ahmad Buzdar
 Prof. Dr. Saeed Ahmad Buzdar
 Director
 Institute of Physics



The Islamia University of Bahawalpur

Multistorey/ High Density Orchard & Fruit Research Unit
E-mail: horticulture.nafees@iub.edu.pk, Ph: 062-9255531, Fax: 062-9250232

No. /MHDO-FRU

Date: 08.02.2021

The Treasurer
The Islamia University of Bahawalpur

Subject: **TECHNICAL REPORT FOR DRIP IRRIGATION SYSTEM UNDER MULTISTOREY/HIGH DENSITY ORCHARD AND FRUIT RESEARCH UNIT**

Reference to the tender opened by the purchase committee date 29.01.2021 for installation of drip irrigation system on the project area (including mango, citrus, guava and other fruit crops), the report of technical bid(s) filed by Anchor Commodities (Pvt) Ltd is as under:

S#	Required Specifications of Item (As per Tender document)	Specifications offered	Remarks
1	<p>I. Pump set and Prime Mover: Motor, 2900rpm (Siemens/Equivalent), Pump, 2900rpm GG Material, Gland Packing, Grease Lubricant, (KSB/Equivalent) Motor, Control Panel (Local/Equivalent) & Base plate and Coupling for Motor & Pump (Local/Equivalent).</p> <p>II. PVC/PE Pipes: 6 Inches (B-Class), 4 Inches (B-Class), 3 Inches (B-Class), 2 1/2 Inches (C-Class), 2 Inches (C-Class) & 1 1/2 Inches (C-Class). All pipes are of (BSS-3505/PS-3051/ Equivalent).</p> <p>III. Filtration and Fertigation: Gravel Filter (Netafim/Equivalent), Disc Filter (Netafim/Equivalent), Fertigation Manifold (Local/Equivalent) & Ventury Injector (Netafim/Equivalent).</p> <p>IV. Emitting System/Laterals: Pressure Compensating Drippers (PCJ) (Netafim/Equivalent), Turbon-Net™ Labyrinth with large passage, Plain Drip Line 20 mm, 1.5mm & 1.2mm W.T. (Netafim/Equivalent), Plain Drip Line 16 mm, 1.5mm W.T. (Netafim/Equivalent), Drip Line 12 mm, 1.0mm W.T. (Netafim/Equivalent). Integrated Drip Line (Drip net PC, (Netafim/Equivalent) & Integrated Drip</p>	<p>I. Pump set and Prime Mover: Motor, 2900rpm (Siemens/Equivalent), Pump, 2900rpm GG Material, Gland Packing, Grease Lubricant, (KSB/Equivalent) Motor, Control Panel (Local/Equivalent) & Base plate and Coupling for Motor & Pump (Local/Equivalent).</p> <p>II. PVC/PE Pipes: 4 Inches (B-Class), 3 Inches (B-Class) (BSS-3505/PS-3052/Equivalent); 2 1/2 Inches (C-Class), 2 Inches (C-Class) & 1 1/2 Inches (C-Class) (BSS-3505/PS-3051/ Equivalent).</p> <p>III. Filtration and Fertigation: Gravel Filter (Netafim/Equivalent), Disc Filter (Netafim/Equivalent), Fertigation Manifold (Local/Equivalent) & Ventury Injector (Netafim/Equivalent).</p> <p>IV. Emitting System/Laterals: Pressure Compensating Drippers (PCJ) (Netafim/Equivalent), Turbon-Net™ Labyrinth with large passage, Plain Drip Line 20 mm, 1.5mm & 1.2mm W.T. (Netafim/Equivalent), Plain Drip Line 16 mm, 1.5mm W.T. (Netafim/Equivalent), Drip Line 12 mm, 1.0mm W.T. (Netafim/Equivalent). Integrated Drip Line (Drip net PC, (Netafim/Equivalent) & Integrated Drip Line (Euro/Equivalent).</p> <p>V. Drip Fittings: Start Connectors, Joiners & Line end (Netafim/Equivalent).</p>	The submitted proposal was approved based on offered technical specifications



The Islamia University of Bahawalpur

Multistorey/ High Density Orchard & Fruit Research Unit
E-mail: horticulture.nafees@iub.edu.pk, Ph: 062-9255531, Fax: 062-9250232

<p>Line (Euro/Equivalent).</p> <p>V. Drip Fittings: Start Connectors, Joiners & Line end (Netafim/Equivalent).</p> <p>VI. Valves System: PVC-U Ball Valve, (Hydroplast/ISO certified/Equivalent), PVC-U Sub main Flush Valves (Netafim/Equivalent)</p> <p>VII. Monitoring Equipment: Air release valve, (Imported/Equivalent), Non-Return valve (kitz/Equivalent), Water Meter (Kent/Equivalent), Pressure Gauge (Imported/Equivalent), Gun Metal valve (Moghel/Equivalent) & Handle valve (local/Equivalent)</p> <p>VIII. Fittings: PVC Fittings, (ERA Sch. 80, ISO/Equivalent) & GI fittings (BS EN 10255-2004/Equivalent).</p> <p>This drip irrigation system will be planned for 25 acre leveled cultivated land for high and ultra-high-density orchard of mango, citrus, guava, mango and strawberry.</p>	<p>VI. Vales System: PVC-U Ball Valve, (Hydroplast/ISO certified/Equivalent), PVC-U Sub main Flush Valves (Netafim/Equivalent)</p> <p>VII. Monitoring Equipment: Air release valve, (Imported/Equivalent), Non-Return valve (kitz/Equivalent), Water Meter (Kent/Equivalent), Pressure Gauge (Imported/Equivalent), Gun Metal valve (Moghel/Equivalent) & Handle valve (local/Equivalent)</p> <p>VIII. Fittings and Accessories: PVC Fittings, (ERA Sch. 80, ISO/Equivalent) & GI fittings (BS EN 10255-2004/Equivalent). Jet 55 Rain Gun (20 mm nozzle, 22700 LPH, 35 m wetted Radius & Operating P @ 3 bar (Youzak), Quick Coupler for Rain Gun, 2 inches, Light Grade L2, GI Hydrents (Complete Incl. Brass Gate Valve)</p> <p>This drip irrigation system will be installed at 28.3 acre leveled cultivated land for high and ultra-high-density orchard of mango, citrus, guava, mango and strawberry and other fruits.</p>
---	---

1. Dr. Muhammad Nafees, Associate Professor

2. Dr. Muhammad Amin, Associate Professor

3. Mr. Ishtiaq Ahmad

4. Mr. Amir Manzoor, Farm Manager

[Signature]
8/2/21

[Signature]
8/2/2021

[Signature]
@ Amir Manzoor